Index of Papers Published in 1987

Authors Index

A

Abhvani, A.S. and Beaumont, D.N.: *Development of an Efficient Algorithm for the Calculation of Two-Phase Flash Equilibria*, (Tech. Paper SPE 13951) SPERE Nov., 87 695-702

Adams, W.T. and Schievelbein, V.H.: *Surfactant Flooding Carbonate Reservoirs*, (Tech. Paper SPE 12686) SPERE Nov., 87 619-626

Adegbesan, K.O. *et al.*: *Low-Temperature-Oxidation Kinetic Parameters for In-Situ Combustion: Numerical Simulation*, (Tech. Paper SPE 12004) SPERE Nov., 87 573-582

Ahmed, T.H. *et al.*: *Cycling With Air and Other Nonhydrocarbon Gases*, (Tech. Paper SPE 13229) SPERE Nov., 87 283-686

Allison, J.D. *et al.*: *Automated and Manual Methods for the Determination of Polyacrylamide and Other Anionic Polymers*, (Tech. Paper SPE 13589) SPERE May, 87 184-188

Ammer, J.R. *et al.*: *Case Study of Gas Migration in the Wasatch and Mesaverde Formations of the Piceance Basin, Colorado*, (Tech. Paper SPE 14360) SPERE Nov., 87 677-682

Angstadt, H.P. and Tsao, H.W.: *Kinetic Study of the Decomposition of Surfactants for EOR*, (Tech. Paper SPE 12662) SPERE Nov., 87 613-618

Arf, G. *et al.*: *EOR With Penn State Surfactants*, (Tech. Paper SPE 12308) SPERE May, 87 166-176

B

Bae, J.H. *et al.*: *An Evaluation of Lignosulfonate as a Sacrificial Adsorbate in Surfactant Flooding*, (Tech. Paper SPE 12699) SPERE Feb., 87 17-27

Bae, J.H. *et al.*: *A Study of Mineral/Alkali Reactions*, (Tech. Paper SPE 13032) SPERE Nov., 87 653-663

Baijal, S.K. *et al.*: *Viscosity and Phase Behavior of Petroleum Sulfonate Solutions in the Liquid Crystalline Region*, (Tech. Paper SPE 12700) SPERE Nov., 87 664-670

Baker, L.E. *et al.*: *Calculation of Minimum Miscibility Pressure*, (Tech. Paper SPE 14929) SPERE Nov., 87 501-506

Beaumont, D.N. and Abhvani, A.S.: *Development of an Efficient Algorithm for the Calculation of Two-Phase Flash Equilibria*, (Tech. Paper SPE 13951) SPERE Nov., 87 695-702

Beck, D. *et al.*: *Biocide Evaluation Against Sessile Xanthan Polymer-Degrading Bacteria*, (Tech. Paper SPE 13588) SPERE Nov., 87 647-652

Behie, G.A. *et al.*: *Adaptive Implicit Methods Applied to Thermal Simulation*, (Tech. Paper SPE 14043) SPERE Nov., 87 596-598

Bennion, D.W. *et al.*: *Low-Temperature-Oxidation Kinetic Parameters for In-Situ Combustion: Numerical Simulation*, (Tech. Paper SPE 12004) SPERE Nov., 87 573-582

Benton, W.J. *et al.*: *Viscosity and Phase Behavior of Petroleum Sulfonate Solutions in the Liquid Crystalline Region*, (Tech. Paper SPE 12700) SPERE Nov., 87 664-670

Biterge, M. *et al.*: *EOR With Penn State Surfactants*, (Tech. Paper SPE 12308) SPERE May, 87 166-176

Bodvarsson, G.S. and Gaulke, S.: *Effects of Noncondensible Gases on Fluid Recovery in Fractured Geothermal Reservoirs*, (Tech. Paper SPE 15121) SPERE Aug., 87 335-342

Boivin, J.W. *et al.*: *Biocide Evaluation Against Sessile Xanthan Polymer-Degrading Bacteria*, (Tech. Paper SPE 13588) SPERE Nov., 87 647-652

Bond, D.J. and Christie, M.A.: *Detailed Simulation of Unstable Processes in Miscible Flooding*, (Tech. Paper SPE 14896) SPERE Nov., 87 514-522

Bourrel, M. *et al.*: *Effect of Oil Type on Solubilization by Amphiphiles*, (Tech. Paper SPE 12674) SPERE Feb., 87 41-53

Bourrel, M. *et al.*: *Partitioning of Nonionic and Anionic Surfactant Mixtures Between Oil/Microemulsion/Water Phases*, (Tech. Paper SPE 13030) SPERE Aug., 87 305-314

Bretz, R.E. and Orr Jr., F.M.: *Interpretation of Miscible Displacements in Laboratory Cores*, (Tech. Paper SPE 14898) SPERE Nov., 87 492-500

Brigham, W. E. and Owete, O. S.: *Flow Behavior of Foam: A Porous Micromodel Study*, (Tech. Paper SPE 11349) SPERE Aug., 87 315-323

Broman Jr., W.H. *et al.*: *Computer Image Processing: A New Tool for Studying Viscous Fingering in Corefloods*, (Tech. Paper SPE 13668) SPERE Nov., 87 720-728

Broman, J.A. *et al.*: *Computer Image Processing: A New Tool for Studying Viscous Fingering in Corefloods*, (Tech. Paper SPE 13668) SPERE Nov., 87 720-728

Burk, J.H.: *Comparison of Sodium Carbonate, Sodium Hydroxide, and Sodium Orthosilicate for EOR*, (Tech. Paper SPE 12039) SPERE Feb., 87 9-16

C

Cady, G.V. *et al.*: *Cycling With Air and Other Nonhydrocarbon Gases*, (Tech. Paper SPE 13229) SPERE Nov., 87 283-686

Camilleri, D. *et al.*: *Comparison of an Improved Compositional Micellar/Polymer Simulator With Laboratory Corefloods*, (Tech. Paper SPE 12083) SPERE Nov., 87 441-451

Camilleri, D. *et al.*: *Description of an Improved Compositional Micellar/Polymer Simulator*, (Tech. Paper SPE 13967) SPERE Nov., 87 427-432

Camilleri, D. *et al.*: *Improvements in Physical-Property Models Used in Micellar/Polymer Flooding*, (Tech. Paper SPE 12723) SPERE Nov., 87 433-440

Carey, G.F. *et al.*: *Moving Elements for Transport Processes*, (Tech. Paper SPE 13511) SPERE Aug., 87 401-408

Carey, G.F. and Chow, S.S.: *Well Singularities in Reservoir Simulation*, (Tech. Paper SPE 14812) SPERE Nov., 87 713-719

Castagno, R.E. *et al.*: *Method for Laboratory and Field Evaluation of a Proposed Polymer Flood*, (Tech. Paper SPE 13124) SPERE Nov., 87 452-460

Chambu, C. *et al.*: *Effect of Oil Type on Solubilization by Amphiphiles*, (Tech. Paper SPE 12674) SPERE Feb., 87 41-53

Chatzis, I. *et al.*: *Microscopic Distribution of Wetting and Nonwetting Phases in Sandstones During Immiscible Displacements*, (Tech. Paper SPE 13212) SPERE May, 87 137-147

Chen, W.H. *et al.*: *New Kinetic Models for Thermal Cracking of Crude Oils in In-Situ Combustion Processes*, (Tech. Paper SPE 13074) SPERE Feb., 87 54-66

Chen, Z. and Whitson, C.H.: *Further Discussion of Modification of Welge's Method of Shock Front Location in Buckley-Leverett Problem for Nonzero Initial Condition*, (Tech. Paper, Discussion SPE 16458) SPERE May, 87 260-261

Chow, S.S. and Carey, G.F.: *Well Singularities in Reservoir Simulation*, (Tech. Paper SPE 14812) SPERE Nov., 87 713-719

Christenson, H.K. *et al.*: *Properties of Capillary Fluids at the Microscopic Level*, (Tech. Paper SPE 14698) SPERE May, 87 155-165

Christiansen, R.L. and Kim Haines, H.: *Rapid Measurement of Minimum Miscibility Pressure With the Rising-Bubble Apparatus*, (Tech. Paper SPE 13114) SPERE Nov., 87 523-527

Christie, M.A. and Bond, D.J.: *Detailed Simulation of Unstable Processes in Miscible Flooding*, (Tech. Paper SPE 14896) SPERE Nov., 87 514-522

Christman, P.G. *et al.*: *Investigation of Unexpectedly Low Field-Observed Fluid Mobilities During Some CO2 Tertiary Floods*, (Tech. Paper SPE 14308) SPERE Nov., 87 507-513

Chu, C.: *Examination of the Confined-Pattern Concept in Steamflood Simulation*, (Tech. Paper SPE 13621) SPERE Nov., 87 559-564

Clifford, P.J. *et al.*: *In-Situ Gel Calculations in Complex Reservoir Systems Using a New Chemical Flood Simulator*, (Tech. Paper SPE 14234) SPERE Nov., 87 634-646

Clifford, P.J. *et al.*: *Experimental and Theoretical Study of Polymer Flow in Porous Media*, (Tech. Paper SPE 14231) SPERE Aug., 87 281-304

Closmann, P. J.: *Studies of Critical Gas Saturation During Gas Injection*, (Tech. Paper SPE 12335) SPERE Aug., 87 387-393

Conrard, P.G.: *Discussion of Analysis and Correlation of Nitrogen and Lean Gas Miscibility Pressures*, (Tech. Paper, Discussion SPE 16463) SPERE May, 87 258-259

Culham, W.E. *et al.*: *New Kinetic Models for Thermal Cracking of Crude Oils in In-Situ Combustion Processes*, (Tech. Paper SPE 13074) SPERE Feb., 87 54-66

D

Da Prat, G. *et al.*: *Laboratory Seismic Methods for Remote Monitoring of Thermal EOR*, (Tech. Paper SPE 12744) SPERE May, 87 235-242

Dai, K.K. and Orr Jr., F.M.: *Prediction of CO2 Flood Performance: Interaction of Phase Behavior With Nonuniform Flow*, (Tech. Paper SPE 13115) SPERE Nov., 87 531-542

Dasinger, B.L. *et al.*: *Biocide Evaluation Against Sessile Xanthan Polymer-Degrading Bacteria*, (Tech. Paper SPE 13588) SPERE Nov., 87 647-652

Davis, H.T. *et al.*: *Physics of Oil Entrapment in Water-Wet Rock*, (Tech. Paper SPE 9406) SPERE Feb., 87 113-128

Dawe, R.A. *et al.*: *Slug Size and Mobility Requirements for Chemically Enhanced Oil Recovery Within Heterogeneous Reservoirs*, (Tech. Paper SPE 13704) SPERE Feb., 87 92-102

Doe, P.H. *et al.*: *Development and Evaluation of EOR Polymers Suitable for Hostile Environments--Part 1: Copolymers of Vinylpyrrolidone and Acrylamide*, (Tech. Paper SPE 14233) SPERE Nov., 87 461-467

Doe, P.H. and Moradi-Araghi, A.: *Hydrolysis and Precipitation of Polyacrylamides in Hard Brines at Elevated Temperatures*, (Tech. Paper SPE 13033) SPERE May, 87 189-198

Donnelly, J.K. *et al.*: *Low-Temperature-Oxidation Kinetic Parameters for In-Situ Combustion: Numerical Simulation*, (Tech. Paper SPE 12004) SPERE Nov., 87 573-582

Dovan, H.T. and Hutchins, R.D.: *Development of a New Aluminum/Polymer Gel System for Permeability Adjustment*, (Tech. Paper SPE 12641) SPERE May, 87 177-183

Drici, O. and Vossoughi, S.: *Catalytic Effect of Heavy Metal Oxides on Crude-Oil Combustion*, (Tech. Paper SPE 14484) SPERE Nov., 87 591-595

Duda, J. L. *et al.*: *EOR With Penn State Surfactants*, (Tech. Paper SPE 12308) SPERE May, 87 166-176

Dullien, F.A.L. *et al.*: *Microscopic Distribution of Wetting and Nonwetting Phases in Sandstones During Immiscible Displacements*, (Tech. Paper SPE 13212) SPERE May, 87 137-147

Dung, V. *et al.*: *Laboratory Seismic Methods for Remote Monitoring of Thermal EOR*, (Tech. Paper SPE 12744) SPERE May, 87 235-242

E

Egbogah, E.O.: *The Concept of Relative Ganglion Velocity and Generalization to Oil-Bank Movements in Porous Media*, (Tech. Paper SPE 14876) SPERE Nov., 87 671-676

Elias Jr., R. *et al.*: *Infill Drilling in a Steamflood Operation: Kern River Field*, (Tech. Paper SPE 14337) SPERE May, 87 243-248

Ely, T.L. *et al.*: *Automated and Manual Methods for the Determination of Polyacrylamide and Other Anionic Polymers*, (Tech. Paper SPE 13589) SPERE May, 87 184-188

Engelsen, S. *et al.*: *Description of an Improved Compositional Micellar/Polymer Simulator*, (Tech. Paper SPE 13967) SPERE Nov., 87 427-432

Enick, R.M. *et al.*: *Four-Phase Flash Equilibrium Calculations Using the Peng-Robinson Equation of State and a Mixing Rule for Asymmetric Systems*, (Tech. Paper SPE 14148) SPERE Nov., 87 687-694

F

Fil, A. *et al.*: *Comparison of an Improved Compositional Micellar/Polymer Simulator With Laboratory Corefloods*, (Tech. Paper SPE 12083) SPERE Nov., 87 441-451

Fil, A. *et al.*: *Improvements in Physical-Property Models Used in Micellar/Polymer Flooding*, (Tech. Paper SPE 12723) SPERE Nov., 87 433-440

Fleming, P. D. and Mansoori, J.: *An Accurate Numerical Technique for Solution of Convection-Diffusion Equations Without Numerical Dispersion*, (Tech. Paper SPE 12714) SPERE Aug., 87 373-386

Foley, W.L. *et al.*: *A Study of Mineral/Alkali Reactions*, (Tech. Paper SPE 13032) SPERE Nov., 87 653-663

Forsyth Jr., P.A. *et al.*: *Adaptive Implicit Methods Applied to Thermal Simulation*, (Tech. Paper SPE 14043) SPERE Nov., 87 596-598

Fosti, J.E. *et al.*: *Miscible Displacement of Crude Oil by CO2/SO2 Mixtures*, (Tech. Paper SPE 12707) SPERE May, 87 199-208

Frohne, K-H. *et al.*: *Case Study of Gas Migration in the Wasatch and Mesaverde Formations of the Piceance Basin, Colorado*, (Tech. Paper SPE 14360) SPERE Nov., 87 677-682

G

Gardner, J.W. *et al.*: *Investigation of Unexpectedly Low Field-Observed Fluid Mobilities During Some CO2 Tertiary Floods*, (Tech. Paper SPE 14308) SPERE Nov., 87 507-513

Gaulke, S. and Bodvarsson, G.S.: *Effects of Noncondensible Gases on Fluid Recovery in Fractured Geothermal Reservoirs*, (Tech. Paper SPE 15121) SPERE Aug., 87 335-342

Ghosh, O. *et al.*: *Viscosity and Phase Behavior of Petroleum Sulfonate Solutions in the Liquid Crystalline Region*, (Tech. Paper SPE 12700) SPERE Nov., 87 664-670

Glaso, O.: *Author's Reply to Discussion of Generalized Minimum Miscibility Pressure Correlation*, (Tech. Paper, Rebuttal SPE 16287) SPERE Feb., 87 102

Goldman, I.M. *et al.*: *Biocide Evaluation Against Sessile Xanthan Polymer-Degrading Bacteria*, (Tech. Paper SPE 13588) SPERE Nov., 87 647-652

Graciaa, A. *et al.*: *Partitioning of Nonionic and Anionic Surfactant Mixtures Between Oil/Microemulsion/Water Phases*, (Tech. Paper SPE 13030) SPERE Aug., 87 305-314

Graves, W.G. *et al.*: *Infill Drilling in a Steamflood Operation: Kern River Field*, (Tech. Paper SPE 14337) SPERE May, 87 243-248

Gray, I.: *Reservoir Engineering in Coal Seams: Part 1—The Physical Process of Gas Storage and Movement in Coal Seams*, (Tech. Paper SPE 12514) SPERE Feb., 87 28-34

Gray, I.: *Reservoir Engineering in Coal Seams: Part 2—Observations of Gas Movement in Coal Seams*, (Tech. Paper SPE 14479) SPERE Feb., 87 35-40

Gregory, M.D. *et al.*: *Method for Laboratory and Field Evaluation of a Proposed Polymer Flood*, (Tech. Paper SPE 13124) SPERE Nov., 87 452-460

Gudmundsson, J.S. and Olsen, G.: *Water-Influx Modeling of the Svartsengi Geothermal Field, Iceland*, (Tech. Paper SPE 13615) SPERE Feb., 87 77-84

Gupta, M.K. and Robinson, R.L.: *Application of Gradient Theory of Inhomogeneous Fluid to Prediction of Low Interfacial Tensions in CO2/Hydrocarbon Systems*, (Tech. Paper SPE 14699) SPERE Nov., 87 528-530

H

Handy, L.L. and Mehdizadeh, A.: *Displacement of Viscous Oil From Consolidated Cores by Caustic at Temperatures Above 257 Degree F*, (Tech. Paper SPE 12040) SPERE Nov., 87 599-604

Hansel, J.G. and Shahani, G.H.: *Oxygen Fireflooding: Combustion Tube Tests With Light, Medium, and Heavy Crude Oils*, (Tech. Paper SPE 12726) SPERE Nov., 87 583-590

Holder, G.D. *et al.*: *Four-Phase Flash Equilibrium Calculations Using the Peng-Robinson Equation of State and a Mixing Rule for Asymmetric Systems*, (Tech. Paper SPE 14148) SPERE Nov., 87 687-694

Hong, K.C. and Hsueh, L.: *Comparison of K-Value Calculation Methods in Compositional Steamflood Simulation*, (Tech. Paper SPE 12750) SPERE May, 87 249-257

Hong, K.C.: *Guidelines for Converting Steamflood to Waterflood*, (Tech. Paper SPE 13605) SPERE Feb., 87 67-76

Hong, S.A. *et al.*: *An Evaluation of Lignosulfonate as a Sacrificial Adsorbate in Surfactant Flooding*, (Tech. Paper SPE 12699) SPERE Feb., 87 17-27

Hornof, V. and Morrow, N.R.: *Gravity Effects in the Displacement of Oil by Surfactant Solutions*, (Tech. Paper SPE 13573) SPERE Nov., 87 627-633

Hove, A.O. *et al.*: *Visualization of Laboratory Corefloods With the Aid of Computerized Tomography of X-Rays*, (Tech. Paper SPE 13654) SPERE May, 87 148-154

Hsueh, L. and Hong, K.C.: *Comparison of K-Value Calculation Methods in Compositional Steamflood Simulation*, (Tech. Paper SPE 12750) SPERE May, 87 249-257

Hutchins, R.D. and Dovan, H.T.: *Development of a New Aluminum/Polymer Gel System for Permeability Adjustment*, (Tech. Paper SPE 12641) SPERE May, 87 177-183

I

Israelachvili, J.N. *et al.*: *Properties of Capillary Fluids at the Microscopic Level*, (Tech. Paper SPE 14698) SPERE May, 87 155-165

K

Kerig, P.D. and Watson, A.T.: *A New Algorithm for Estimating Relative Permeabilities From Displacement Experiments*, (Tech. Paper SPE 14476) SPERE Feb., 87 103-112

Kim Haines, H. and Christiansen, R.L.: *Rapid Measurement of Minimum Miscibility Pressure With the Rising-Bubble Apparatus*, (Tech. Paper SPE 13114) SPERE Nov., 87 523-527

Klaus, E.E. *et al.*: *EOR With Penn State Surfactants*, (Tech. Paper SPE 12308) SPERE May, 87 166-176

Krause, F.F. *et al.*: *Miscible Displacement of Crude Oil by CO2/SO2 Mixtures*, (Tech. Paper SPE 12707) SPERE May, 87 199-208

Kuehne, D.L. *et al.*: *Improving Polymer Injectivity at West Coyote Field, California*, (Tech. Paper SPE 13603) SPERE Aug., 87 271-280

L

LaBelle, G. *et al.*: *EOR With Penn State Surfactants*, (Tech. Paper SPE 12308) SPERE May, 87 166-176

Lachaise, J. *et al.*: *Partitioning of Nonionic and Anionic Surfactant Mixtures Between Oil/Microemulsion/Water Phases*, (Tech. Paper SPE 13030) SPERE Aug., 87 305-314

Lake, L.W *et al.*: *Description of an Improved Compositional Micellar/Polymer Simulator*, (Tech. Paper SPE 13967) SPERE Nov., 87 427-432

Lescarboura, J.A. *et al.*: *Method for Laboratory and Field Evaluation of a Proposed Polymer Flood*, (Tech. Paper SPE 13124) SPERE Nov., 87 452-460

Lewis, G.R. *et al.*: *An Evaluation of Lignosulfonate as a Sacrificial Adsorbate in Surfactant Flooding*, (Tech. Paper SPE 12699) SPERE Feb., 87 17-27

Lin, C.Y. *et al.*: *New Kinetic Models for Thermal Cracking of Crude Oils in In-Situ Combustion Processes*, (Tech. Paper SPE 13074) SPERE Feb., 87 54-66

Lin, E.C. *et al.*: *Description of an Improved Compositional Micellar/Polymer Simulator*, (Tech. Paper SPE 13967) SPERE Nov., 87 427-432

Lo, T.S. and Youngren, G.K.: *A New Approach to Limited Compositional Simulation: Direct Solution of the Phase Equilibrium Equations*, (Tech. Paper SPE 13518) SPERE Nov., 87 703-712

Luks, K.D. *et al.*: *Calculation of Minimum Miscibility Pressure*, (Tech. Paper SPE 14929) SPERE Nov., 87 501-506

M

MacDonald, I.F. *et al.*: *Microscopic Distribution of Wetting and Nonwetting Phases in Sandstones During Immiscible Displacements*, (Tech. Paper SPE 13212) SPERE May, 87 137-147

MacMillan, D.J.: *Automatic History Matching of Laboratory Corefloods To Obtain Relative-Permeabilty Curves*, (Tech. Paper SPE 12356) SPERE Feb., 87 85-91

Madden, M.P. *et al.*: *Effectiveness of Screening Tests as Predictive Models for Steamflood Additives*, (Tech. Paper SPE 14904) SPERE Nov., 87 543-548

Mansoori, J. and Fleming, P. D.: *An Accurate Numerical Technique for Solution of Convection-Diffusion Equations Without Numerical Dispersion*, (Tech. Paper SPE 12714) SPERE Aug., 87 373-386

Mason, R.A.: *Estimating Reserves for High-Rate Devonian Shale Oil and Gas Completions With Limited Production Data*, (Tech. Paper SPE 13369) SPERE Aug., 87 394-400

Mehdizadeh, A. and Handy, L.L.: *Displacement of Viscous Oil From Consolidated Cores by Caustic at Temperatures Above 257 Degree F*, (Tech. Paper SPE 12040) SPERE Nov., 87 599-604

Mercer, J.C. *et al.*: *Case Study of Gas Migration in the Wasatch and Mesaverde Formations of the Piceance Basin, Colorado*, (Tech. Paper SPE 14360) SPERE Nov., 87 677-682

Miller, C.A. *et al.*: *Viscosity and Phase Behavior of Petroleum Sulfonate Solutions in the Liquid Crystalline Region*, (Tech. Paper SPE 12700) SPERE Nov., 87 664-670

Minssieux, L.: *Surfactant Flooding With Hard Water: A Case Study Solved by HLB Gradient*, (Tech. Paper SPE 14292) SPERE Nov., 87 605-612

Mohamed, R.S. *et al.*: *Four-Phase Flash Equilibrium Calculations Using the Peng-Robinson Equation of State and a Mixing Rule for Asymmetric Systems*, (Tech. Paper SPE 14148) SPERE Nov., 87 687-694

Mohanty, K.K. *et al.*: *Physics of Oil Entrapment in Water-Wet Rock*, (Tech. Paper SPE 9406) SPERE Feb., 87 113-128

Mohnot, S.M. *et al.*: *A Study of Mineral/Alkali Reactions*, (Tech. Paper SPE 13032) SPERE Nov., 87 653-663

Moore, R.G. *et al.*: *Low-Temperature-Oxidation Kinetic Parameters for In-Situ Combustion: Numerical Simulation*, (Tech. Paper SPE 12004) SPERE Nov., 87 573-582

Moradi-Araghi, A. *et al.*: *Development and Evaluation of EOR Polymers Suitable for Hostile Environments--Part 1: Copolymers of Vinylpyrrolidone and Acrylamide*, (Tech. Paper SPE 14233) SPERE Nov., 87 461-467

Moradi-Araghi, A. and Doe, P.H.: *Hydrolysis and Precipitation of Polyacrylamides in Hard Brines at Elevated Temperatures*, (Tech. Paper SPE 13033) SPERE May, 87 189-198

Morrow, N.R. and Hornof, V.: *Gravity Effects in the Displacement of Oil by Surfactant Solutions*, (Tech. Paper SPE 13573) SPERE Nov., 87 627-633

Mueller, A. *et al.*: *Moving Elements for Transport Processes*, (Tech. Paper SPE 13511) SPERE Aug., 87 401-408

Muscatello, J.A. and Spivak, A.: *Steamdrive Performance in a Layered Reservoir-A Simulation Sensitivity Study*, (Tech. Paper SPE 13606) SPERE Aug., 87 324-334

N

Nagarajan, R. *et al.*: *EOR With Penn State Surfactants*, (Tech. Paper SPE 12308) SPERE May, 87 166-176

Nur, A.M. *et al.*: *Laboratory Seismic Methods for Remote Monitoring of Thermal EOR*, (Tech. Paper SPE 12744) SPERE May, 87 235-242

O

O'Leary, W.B. *et al.*: *Biocide Evaluation Against Sessile Xanthan Polymer-Degrading Bacteria*, (Tech. Paper SPE 13588) SPERE Nov., 87 647-652

Ohno, T. *et al.*: *Description of an Improved Compositional Micellar/Polymer Simulator*, (Tech. Paper SPE 13967) SPERE Nov., 87 427-432

Olsen, G. and Gudmundsson, J.S.: *Water-Influx Modeling of the Svartsengi Geothermal Field, Iceland*, (Tech. Paper SPE 13615) SPERE Feb., 87 77-84

Orr Jr., F.M. and Silva, M.K.: *Effect of Oil Composition on Minimum Miscibility Pressure--Part 2: Correlation*, (Tech. Paper SPE 14150) SPERE Nov., 87 479-491

Orr Jr., F.M. and Dai, K.K.: *Prediction of CO2 Flood Performance: Interaction of Phase Behavior With Nonuniform Flow*, (Tech. Paper SPE 13115) SPERE Nov., 87 531-542

Orr Jr., F.M. and Silva, M.K.: *Effect of Oil Composition on Minimum Miscibility Pressure--Part 1: Solubility of Hydrocarbons in Dense CO2*, (Tech. Paper SPE 14149) SPERE Nov., 87 468-478

Orr Jr., F.M. and Bretz, R.E.: *Interpretation of Miscible Displacements in Laboratory Cores*, (Tech. Paper SPE 14898) SPERE Nov., 87 492-500

Osborne-Lee, I. *et al.*: *Partitioning of Nonionic and Anionic Surfactant Mixtures Between Oil/Microemulsion/Water Phases*, (Tech. Paper SPE 13030) SPERE Aug., 87 305-314

Owete, O. S. and Brigham, W. E.: *Flow Behavior of Foam: A Porous Micromodel Study*, (Tech. Paper SPE 11349) SPERE Aug., 87 315-323

P

Papatzacos, P.: *Approximate Partial-Penetration Pseudoskin for Infinite-Conductivity Wells*, (Tech. Paper SPE 13956) SPERE May, 87 227-234

Papatzacos, P.: *Exact Solutions for Infinite-Conductivity Wells*, (Tech. Paper SPE 13846) SPERE May, 87 217-226

Parker, A. *et al.*: *Experimental and Theoretical Study of Polymer Flow in Porous Media*, (Tech. Paper SPE 14231) SPERE Aug., 87 281-304

Pashley, R.M. *et al.*: *Properties of Capillary Fluids at the Microscopic Level*, (Tech. Paper SPE 14698) SPERE May, 87 155-165

Patel, P.D. *et al.*: *Investigation of Unexpectedly Low Field-Observed Fluid Mobilities During Some CO2 Tertiary Floods*, (Tech. Paper SPE 14308) SPERE Nov., 87 507-513

Peaceman, D.W. and Tang, D.H.E.: *New Analytical and Numerical Solutions for the Radial Convection-Dispersion Problem*, (Tech. Paper SPE 16001) SPERE Aug., 87 343-359

Peters, E.J. *et al.*: *Computer Image Processing: A New Tool for Studying Viscous Fingering in Corefloods*, (Tech. Paper SPE 13668) SPERE Nov., 87 720-728

Pinczewski, W.V. and Taggart, I.J.: *The Use of Higher-Order Differencing Techniques in Reservoir Simulation*, (Tech. Paper SPE 13513) SPERE Aug., 87 360-372

Pope, G. *et al.*: *Description of an Improved Compositional Micellar/Polymer Simulator*, (Tech. Paper SPE 13967) SPERE Nov., 87 427-432

Pope, G. *et al.*: *Improvements in Physical-Property Models Used in Micellar/Polymer Flooding*, (Tech. Paper SPE 12723) SPERE Nov., 87 433-440

Pope, G.A. *et al.*: *Comparison of an Improved Compositional Micellar/Polymer Simulator With Laboratory Corefloods*, (Tech. Paper SPE 12083) SPERE Nov., 87 441-451

Q

Qutubuddin, S. *et al.*: *Viscosity and Phase Behavior of Petroleum Sulfonate Solutions in the Liquid Crystalline Region*, (Tech. Paper SPE 12700) SPERE Nov., 87 664-670

R

Read, P.A. *et al.*: *Visualization of Laboratory Corefloods With the Aid of Computerized Tomography of X-Rays*, (Tech. Paper SPE 13654) SPERE May, 87 148-154

Restine, J.L. *et al.*: *Infill Drilling in a Steamflood Operation: Kern River Field*, (Tech. Paper SPE 14337) SPERE May, 87 243-248

Ringen, J.K. *et al.*: *Visualization of Laboratory Corefloods With the Aid of Computerized Tomography of X-Rays*, (Tech. Paper SPE 13654) SPERE May, 87 148-154

Roberts, L.J. *et al.*: *In-Situ Gel Calculations in Complex Reservoir Systems Using a New Chemical Flood Simulator*, (Tech. Paper SPE 14234) SPERE Nov., 87 634-646

Robinson, R.L. and Gupta, M.K.: *Application of Gradient Theory of Inhomogeneous Fluid to Prediction of Low Interfacial Tensions in CO2/Hydrocarbon Systems*, (Tech. Paper SPE 14699) SPERE Nov., 87 528-530

Rouse, B. *et al.*: *Improvements in Physical-Property Models Used in Micellar/Polymer Flooding*, (Tech. Paper SPE 12723) SPERE Nov., 87 433-440

Rouse, B.A. *et al.*: *Comparison of an Improved Compositional Micellar/Polymer Simulator With Laboratory Corefloods*, (Tech. Paper SPE 12083) SPERE Nov., 87 441-451

S

Sammon, P.H. *et al.*: *Adaptive Implicit Methods Applied to Thermal Simulation*, (Tech. Paper SPE 14043) SPERE Nov., 87 596-598

Sarathi, P.S. *et al.*: *Effectiveness of Screening Tests as Predictive Models for Steamflood Additives*, (Tech. Paper SPE 14904) SPERE Nov., 87 543-548

Sayegh, S.G. *et al.*: *Miscible Displacement of Crude Oil by CO2/SO2 Mixtures*, (Tech. Paper SPE 12707) SPERE May, 87 199-208

Schechter, R.S. *et al.*: *Partitioning of Nonionic and Anionic Surfactant Mixtures Between Oil/Microemulsion/Water Phases*, (Tech. Paper SPE 13030) SPERE Aug., 87 305-314

Schievelbein, V.H. and Adams, W.T.: *Surfactant Flooding Carbonate Reservoirs*, (Tech. Paper SPE 12686) SPERE Nov., 87 619-626

Scott, T. *et al.*: *In-Situ Gel Calculations in Complex Reservoir Systems Using a New Chemical Flood Simulator*, (Tech. Paper SPE 14234) SPERE Nov., 87 634-646

Scriven, L.E. *et al.*: *Physics of Oil Entrapment in Water-Wet Rock*, (Tech. Paper SPE 9406) SPERE Feb., 87 113-128

Sepehrnoori, K. *et al.*: *Moving Elements for Transport Processes*, (Tech. Paper SPE 13511) SPERE Aug., 87 401-408

Sepehrnoori, K. *et al.*: *Comparison of an Improved Compositional Micellar/Polymer Simulator With Laboratory Corefloods*, (Tech. Paper SPE 12083) SPERE Nov., 87 441-451

Sepehrnoori, K. *et al.*: *Improvements in Physical-Property Models Used in Micellar/Polymer Flooding*, (Tech. Paper SPE 12723) SPERE Nov., 87 433-440

Shahani, G.H. and Hansel, J.G.: *Oxygen Fireflooding: Combustion Tube Tests With Light, Medium, and Heavy Crude Oils*, (Tech. Paper SPE 12726) SPERE Nov., 87 583-590

Sharpe, S.R. *et al.*: *In-Situ Gel Calculations in Complex Reservoir Systems Using a New Chemical Flood Simulator*, (Tech. Paper SPE 14234) SPERE Nov., 87 634-646

Shaw, J.E. *et al.*: *Development and Evaluation of EOR Polymers Suitable for Hostile Environments--Part 1: Copolymers of Vinylpyrrolidone and Acrylamide*, (Tech. Paper SPE 14233) SPERE Nov., 87 461-467

Shuler, P.J. *et al.*: *Improving Polymer Injectivity at West Coyote Field, California*, (Tech. Paper SPE 13603) SPERE Aug., 87 271-280

Shupe, R.D. *et al.*: *Method for Laboratory and Field Evaluation of a Proposed Polymer Flood*, (Tech. Paper SPE 13124) SPERE Nov., 87 452-460

Silva, M.K. and Orr Jr., F.M.: *Effect of Oil Composition on Minimum Miscibility Pressure--Part 2: Correlation*, (Tech. Paper SPE 14150) SPERE Nov., 87 479-491

Silva, M.K. and Orr Jr., F.M.: *Effect of Oil Composition on Minimum Miscibility Pressure--Part 1: Solubility of Hydrocarbons in Dense CO2*, (Tech. Paper SPE 14149) SPERE Nov., 87 468-478

Sorbie, K.S. *et al.*: *In-Situ Gel Calculations in Complex Reservoir Systems Using a New Chemical Flood Simulator*, (Tech. Paper SPE 14234) SPERE Nov., 87 634-646

Sorbie, K.S. *et al.*: *Experimental and Theoretical Study of Polymer Flow in Porous Media*, (Tech. Paper SPE 14231) SPERE Aug., 87 281-304

Spivak, A. and Muscatello, J.A.: *Steamdrive Performance in a Layered Reservoir-A Simulation Sensitivity Study*, (Tech. Paper SPE 13606) SPERE Aug., 87 324-334

Stahl, G.A. *et al.*: *Development and Evaluation of EOR Polymers Suitable for Hostile Environments--Part 1: Copolymers of Vinylpyrrolidone and Acrylamide*, (Tech. Paper SPE 14233) SPERE Nov., 87 461-467

Striefel, M.A. *et al.*: *Cycling With Air and Other Nonhydrocarbon Gases*, (Tech. Paper SPE 13229) SPERE Nov., 87 283-686

Strycker, A.R. *et al.*: *Effectiveness of Screening Tests as Predictive Models for Steamflood Additives*, (Tech. Paper SPE 14904) SPERE Nov., 87 543-548

T

Taggart, I.J. and Pinczewski, W.V.: *The Use of Higher-Order Differencing Techniques in Reservoir Simulation*, (Tech. Paper SPE 13513) SPERE Aug., 87 360-372

Tang, D.H.E. and Peaceman, D.W.: *New Analytical and Numerical Solutions for the Radial Convection-Dispersion Problem*, (Tech. Paper SPE 16001) SPERE Aug., 87 343-359

Thrasher, R. *et al.*: *Moving Elements for Transport Processes*, (Tech. Paper SPE 13511) SPERE Aug., 87 401-408

Tosaya, C.A. *et al.*: *Laboratory Seismic Methods for Remote Monitoring of Thermal EOR*, (Tech. Paper SPE 12744) SPERE May, 87 235-242

Tsao, H.W. and Angstadt, H.P.: *Kinetic Study of the Decomposition of Surfactants for EOR*, (Tech. Paper SPE 12662) SPERE Nov., 87 613-618

Turek, E.A. *et al.*: *Calculation of Minimum Miscibility Pressure*, (Tech. Paper SPE 14929) SPERE Nov., 87 501-506

U

Uhl, J.T. *et al.*: *Improving Polymer Injectivity at West Coyote Field, California*, (Tech. Paper SPE 13603) SPERE Aug., 87 271-280

V

Vanorsdale, C.R.: *Evaluation of Devonian Shale Gas Reservoirs*, (Tech. Paper SPE 14446) SPERE May, 87 209-216

Verzaro, F. *et al.*: *Effect of Oil Type on Solubilization by Amphiphiles*, (Tech. Paper SPE 12674) SPERE Feb., 87 41-53

Vo-Thanh, D. *et al.*: *Laboratory Seismic Methods for Remote Monitoring of Thermal EOR*, (Tech. Paper SPE 12744) SPERE May, 87 235-242

Vossoughi, S. and Drici, O.: *Catalytic Effect of Heavy Metal Oxides on Crude-Oil Combustion*, (Tech. Paper SPE 14484) SPERE Nov., 87 591-595

W

Wade, W.H. *et al.*: *Partitioning of Nonionic and Anionic Surfactant Mixtures Between Oil/Microemulsion/Water Phases*, (Tech. Paper SPE 13030) SPERE Aug., 87 305-314

Walkup, G.W. *et al.*: *Improving Polymer Injectivity at West Coyote Field, California*, (Tech. Paper SPE 13603) SPERE Aug., 87 271-280

Ward, C.E. and Ward, G.D.: *Heat Transfer and Oil Displacement Models for Tar Sands Reservoirs*, (Tech. Paper SPE 13222) SPERE Nov., 87 565-572

Ward, G.D. and Ward, C.E.: *Heat Transfer and Oil Displacement Models for Tar Sands Reservoirs*, (Tech. Paper SPE 13222) SPERE Nov., 87 565-572

Watson, A.T. and Kerig, P.D.: *A New Algorithm for Estimating Relative Permeabilities From Displacement Experiments*, (Tech. Paper SPE 14476) SPERE Feb., 87 103-112

Wernau, W.C. *et al.*: *Biocide Evaluation Against Sessile Xanthan Polymer-Degrading Bacteria*, (Tech. Paper SPE 13588) SPERE Nov., 87 647-652

Wheat, M.R. *et al.*: *Slug Size and Mobility Requirements for Chemically Enhanced Oil Recovery Within Heterogeneous Reservoirs*, (Tech. Paper SPE 13704) SPERE Feb., 87 92-102

Whitson, C.H. and Chen, Z.: *Further Discussion of Modification of Welge's Method of Shock Front Location in Buckley-Leverett Problem for Nonzero Initial Condition*, (Tech. Paper, Discussion SPE 16458) SPERE May, 87 260-261

Wimberly, J.W. *et al.*: *Automated and Manual Methods for the Determination of Polyacrylamide and Other Anionic Polymers*, (Tech. Paper SPE 13589) SPERE May, 87 184-188

Wright, R.J. *et al.*: *Slug Size and Mobility Requirements for Chemically Enhanced Oil Recovery Within Heterogeneous Reservoirs*, (Tech. Paper SPE 13704) SPERE Feb., 87 92-102

Y

Yadav, G.D. *et al.*: *Microscopic Distribution of Wetting and Nonwetting Phases in Sandstones During Immiscible Displacements*, (Tech. Paper SPE 13212) SPERE May, 87 137-147

Youngren, G.K. and Lo, T.S.: *A New Approach to Limited Compositional Simulation: Direct Solution of the Phase Equilibrium Equations*, (Tech. Paper SPE 13518) SPERE Nov., 87 703-712

Z

Ziegler, V.M.: *A Comparison of Steamflood Strategies: Five-Spot Pattern vs. Inverted Nine-Spot Pattern*, (Tech. Paper SPE 13620) SPERE Nov., 87 549-558

Subject Index

A

Additives
Steamflood: effectiveness of screening tests as predictive models for, (Tech. Paper SPE 14904) SPERE Nov. 87, 543-548

Air
And other nonhydrocarbon gases: cycling with, (Tech. Paper SPE 13229) SPERE Nov. 87, 683-686

Algeria
Edjeleh Field: surfactant flooding with hard water; case study solved by HLB gradient, (Tech. Paper SPE 14292) SPERE Nov. 87, 605-612

Algorithm
Development of an efficient one for calculation of two-phase flash equilibria, (Tech. Paper SPE 13951) SPERE Nov. 87, 695-702
For calculation of minimum miscibility pressure, (Tech. Paper SPE 14929) SPERE Nov. 87, 501-506
For estimating relative permeabilities from displacement experiments, (Tech. Paper SPE 14476) SPERE Feb. 87, 103-112

Alignment
Direct solution: phase equilibrium equations; new approach to limited compositional simulation, (Tech. Paper SPE 13518) SPERE Nov. 87, 703-712

Alkaline Flooding
Comparison of sodium carbonate, sodium hydroxide, and sodium orthosilicate for, (Tech. Paper SPE 12039) SPERE Feb. 87, 9-16
Displacement of viscous oil from consolidated cores: temperatures above 257 degrees F, (Tech. Paper SPE 12040) SPERE Nov. 87, 599-604
Mineral/alkali reactions study, (Tech. Paper SPE 13032) SPERE Nov. 87, 653-663

Alkane-Carbon Number
Solubilization by amphiphiles: effect of oil type, (Tech. Paper SPE 12674) SPERE Feb. 87, 41-53

Aluminum
And polymer gel system: new development for permeability adjustment, (Tech. Paper SPE 12641) SPERE May 87, 177-183

Amphiphiles
Solubilization by: effect of oil type on, (Tech. Paper SPE 12674) SPERE Feb. 87, 41-53

Analytical Methods
For solving the radial convection-dispersion problem, (Tech. Paper SPE 16001) SPERE Aug. 87, 343-359
Of Buckley-Leverett problem for nonzero initial condition: modification of Welge's method of shock front location; further discussion of, (Tech. Paper, Discussion SPE 16458) SPERE May 87, 260-261

Australia
Coal seams: reservoir engineering in; Part 1--physical process of gas storage and movement in coal seams, (Tech. Paper SPE 12514) SPERE Feb. 87, 28-34
Coal seams: reservoir engineering in; Part 2--observations of gas movement in coal seams, (Tech. Paper SPE 14479) SPERE Feb. 87, 35-40

Automation
And manual methods: determination of polyacrylamide and other anionic polymers, (Tech. Paper SPE 13589) SPERE May 87, 184-188

B

Bacteria
Sessile xanthan polymer-degrading: biocide evaluation against, (Tech. Paper SPE 13588) SPERE Nov. 87, 647-652

Bottomhole Pressure
Relating to well singularities in reservoir simulation, (Tech. Paper SPE 14812) SPERE Nov. 87, 713-719

Brines
Hard: at elevated temperatures; hydrolysis and precipitation of polyacrylamides in, (Tech. Paper SPE 13033) SPERE May 87, 189-198

Buckley-Leverett
Problem for nonzero initial condition: modification of Welge's method of shock front location; further discussion of, (Tech. Paper, Discussion SPE 16458) SPERE May 87, 260-261
Solution of laboratory corefloods:, (Tech. Paper SPE 12356) SPERE Feb. 87, 85-91

C

California
Converting steamflood to waterflood: guidelines for, (Tech. Paper SPE 13605) SPERE Feb. 87, 67-76
Kern River field: infill drilling in steamflood operations, (Tech. Paper SPE 14337) SPERE May 87, 243-248
San Ardo field: comparison of steamflood strategies; five-spot vs. inverted nine-spot pattern, (Tech. Paper SPE 13620) SPERE Nov. 87, 549-558
South Belridge field: steamdrive performance in layered reservoir; simulation sensitivity study, (Tech. Paper SPE 13606) SPERE Aug. 87, 324-334
West Coyote field: improving polymer injectivity, (Tech. Paper SPE 13603) SPERE Aug. 87, 271-280
Wilmington field: comparison of sodium carbonate, sodium hydroxide, and sodium orthosilicate for EOR, (Tech. Paper SPE 12039) SPERE Feb. 87, 9-16

Canada
Pembina Cardium stock-tank oil: miscible displacement by CO2/SO2 mixtures, (Tech. Paper SPE 12707) SPERE May 87, 199-208

Capillary Flow
Fluids: properties at microscopic level, (Tech. Paper SPE 14698) SPERE May 87, 155-165

Carbon Dioxide
And SO2 mixtures: miscible displacement of crude oil by, (Tech. Paper SPE 12707) SPERE May 87, 199-208
And other nonhydrocarbon gases: cycling with, (Tech. Paper SPE 13229) SPERE Nov. 87, 683-686
Effects on fluid recovery in fractured geothermal reservoirs, (Tech. Paper SPE 15121) SPERE Aug. 87, 335-342
Flood performance: prediction of; interaction of phase behavior with microscopic pore structure heterogeneity, (Tech. Paper SPE 13115) SPERE Nov. 87, 531-542
Hydrocarbon systems: low interfacial tensions in; application of gradient theory of inhomogeneous fluid to prediction of, (Tech. Paper SPE 14699) SPERE Nov. 87, 528-530
Multicontact miscible displacement of reservoir fluids by: minimum miscibility pressure required; generalized correlation; author's reply to discussion of, (Tech. Paper, Rebuttal SPE 16287) SPERE Feb. 87, 102
Tertiary floods: investigation of unexpectedly low field-observed fluid mobilities, (Tech. Paper SPE 14308) SPERE Nov. 87, 507-513

Carbonate Reservoirs
Surfactant flooding, (Tech. Paper SPE 12686) SPERE Nov. 87, 619-626
Case Histories
Polymer injectivity improvement: West Coyote field, California, (Tech. Paper SPE 13603) SPERE Aug. 87, 271-280
Caustic
Displacement of viscous oil from consolidated cores by: temperatures above 257 degrees F, (Tech. Paper SPE 12040) SPERE Nov. 87, 599-604
Channeling
In heterogeneous reservoirs: slug size and mobility requirements for chemically enhanced oil recovery, (Tech. Paper SPE 13704) SPERE Feb. 87, 92-102
Chemical Flooding
Improved compositional micellar/polymer simulator: description of, (Tech. Paper SPE 13967) SPERE Nov. 87, 427-432
Improved compositional micellar/polymer simulator; comparison with laboratory corefloods, (Tech. Paper SPE 12083) SPERE Nov. 87, 441-451
Micellar/polymer: improvements in physical-property models used in, (Tech. Paper SPE 12723) SPERE Nov. 87, 433-440
New simulator for: in-situ gel calculations in complex reservoir systems using, (Tech. Paper SPE 14234) SPERE Nov. 87, 634-646
Choke-Off Process
In water-wet rock: physics of oil entrapment, (Tech. Paper SPE 9406) SPERE Feb. 87, 113-128
Coals
Seams: reservoir engineering in; Part 1--physical process of gas storage and movement in coal seams, (Tech. Paper SPE 12514) SPERE Feb. 87, 28-34
Seams: reservoir engineering in; Part 2--observations of gas movement in coal seams, (Tech. Paper SPE 14479) SPERE Feb. 87, 35-40
Colorado
Piceance Basin: case study of gas migration; Wasatch and Mesaverde formations, (Tech. Paper SPE 14360) SPERE Nov. 87, 677-682
Combustion
Crude oil: catalytic effect of heavy metal oxides on, (Tech. Paper SPE 14484) SPERE Nov. 87, 591-595
Tube tests: with light, medium, and heavy crude oils; oxygen fireflooding, (Tech. Paper SPE 12726) SPERE Nov. 87, 583-590
Composition
Oil: effect on minimum miscibility pressure; part 2--correlation, (Tech. Paper SPE 14150) SPERE Nov. 87, 479-491
Computers
Image processing: new tool for studying viscous fingering in corefloods, (Tech. Paper SPE 13668) SPERE Nov. 87, 720-728
Condensates
Cycling reservoirs: with air and other nonhydrocarbon gases, (Tech. Paper SPE 13229) SPERE Nov. 87, 683-686
Conductivity
Infinite: exact solutions for wells, (Tech. Paper SPE 13846) SPERE May 87, 217-226
Infinite: of wells; approximate partial-penetration pseudoskin, (Tech. Paper SPE 13956) SPERE May 87, 227-234
Confined-Pattern Concept
Examination in steamflood simulation, (Tech. Paper SPE 13621) SPERE Nov. 87, 559-564
Convection
Dispersion radial problem: new analytical and numerical solutions, (Tech. Paper SPE 16001) SPERE Aug. 87, 343-359
Dominated flow in porous media: use of higher-order differencing techniques in reservoir simulation, (Tech. Paper SPE 13513) SPERE Aug. 87, 360-372
Dominated flows: moving elements for transport processes, (Tech. Paper SPE 13511) SPERE Aug. 87, 401-408
Convergence Pressure
Diffusion equations: accurate numerical technique for solution without numerical dispersion, (Tech. Paper SPE 12714) SPERE Aug. 87, 373-386
Copolymers
Of vinylpyrrolidone and acrylamide: development and evaluation of EOR polymers suitable for hostile environments, (Tech. Paper SPE 14233) SPERE Nov. 87, 461-467
Cores
Consolidated: displacement of viscous oil from; temperatures above 257 degrees F, (Tech. Paper SPE 12040) SPERE Nov. 87, 599-604
Floods: viscous fingering in; computer image processing, new tool for studying, (Tech. Paper SPE 13668) SPERE Nov. 87, 720-728
Laboratory floods: automatic history matching to obtain relative-permeability curves, (Tech. Paper SPE 12356) SPERE Feb. 87, 85-91
Laboratory floods: comparison of improved compositional micellar/polymer simulator with, (Tech. Paper SPE 12083) SPERE Nov. 87, 441-451
Laboratory floods: visualization with the aid of computerized tomography of X-rays, (Tech. Paper SPE 13654) SPERE May 87, 148-154
Laboratory: interpretation of miscible displacements in, (Tech. Paper SPE 14898) SPERE Nov. 87, 492-500
Tests: of ECR with Penn State surfactants, (Tech. Paper SPE 12308) SPERE May 87, 166-176
Correlations
And analysis: of nitrogen and lean gas miscibility pressures; discussion of, (Tech. Paper, Discussion SPE 16463) SPERE May 87, 258-259
Effect of oil composition on minimum miscibility pressure, (Tech. Paper SPE 14150) SPERE Nov. 87, 479-491
Generalized minimum miscibility pressure: author's reply to discussion of, (Tech. Paper, Rebuttal SPE 16287) SPERE Feb. 87, 102
Of K-value: comparison of methods in compositional steamflood simulation, (Tech. Paper SPE 12750) SPERE May 87, 249-257
Cracking
Thermal: of crude oils in in-situ combustion processes: new kinetic model for, (Tech. Paper SPE 13074) SPERE Feb. 87, 54-66
Critical Saturation
Gas: during gas saturation; studies of, (Tech. Paper SPE 12335) SPERE Aug. 87, 387-393
Cross Flow
In heterogeneous reservoirs: slug size and mobility requirements for chemically enhanced oil recovery, (Tech. Paper SPE 13704) SPERE Feb. 87, 92-102
Crude Oils
Combustion of: catalytic effect of heavy metal oxides on, (Tech. Paper SPE 14484) SPERE Nov. 87, 591-595
Effect of composition on minimum miscibility pressure, (Tech. Paper SPE 14150) SPERE Nov. 87, 479-491
Kinetic models for thermal cracking of: in-situ combustion processes, (Tech. Paper SPE 13074) SPERE Feb. 87, 54-66

Light, medium, and heavy: combustion tube tests with; oxygen fireflooding, (Tech. Paper SPE 12726) SPERE Nov. 87, 583-590
Minimum miscibility pressure: rapid measurement with rising-bubble apparatus, (Tech. Paper SPE 13114) SPERE Nov. 87, 523-527
Miscible displacement by CO2/SO2 mixtures, (Tech. Paper SPE 12707) SPERE May 87, 199-208

Cycling
With air and other nonhydrocarbon gases, (Tech. Paper SPE 13229) SPERE Nov. 87, 683-686

D

Decline Curves
Evaluation of Devonian shale gas reservoirs, (Tech. Paper SPE 14446) SPERE May 87, 209-216

Depletion
Analysis: water influx of Svartsengi geothermal field, Iceland, (Tech. Paper SPE 13615) SPERE Feb. 87, 77-84

Developments
And evaluation of EOR polymers suitable for hostile environments: part 1--copolymers of vinylpyrrolidone and acrylamide, (Tech. Paper SPE 14233) SPERE Nov. 87, 461-467
Of efficient algorithm for calculation of two-phase flash equilibria, (Tech. Paper SPE 13951) SPERE Nov. 87, 695-702
Of guidelines for converting steamflood to waterflood, (Tech. Paper SPE 13605) SPERE Feb. 87, 67-76
Of modification of Welge's method of shock front location: Buckley-Leverett problem for nonzero initial condition; further discussion of, (Tech. Paper, Discussion SPE 16458) SPERE May 87, 260-261
Of new aluminum/polymer gel system for permeability adjustment, (Tech. Paper SPE 12641) SPERE May 87, 177-183

Differential Scanning Calorimetry
Applied to crude oil combustion: catalytic effect of heavy metal oxides, (Tech. Paper SPE 14484) SPERE Nov. 87, 591-595

Diffusion
Convection equations: accurate numerical technique for solution without numerical dispersion, (Tech. Paper SPE 12714) SPERE Aug. 87, 373-386

Dip
Negligible: examination of confined-pattern concept in steamflood simulation, (Tech. Paper SPE 13621) SPERE Nov. 87, 559-564

Dispersion
Convection radial problem: new analytical and numerical solutions, (Tech. Paper SPE 16001) SPERE Aug. 87, 343-359
Numerical: accurate numerical technique for solution of convection-diffusion equations without, (Tech. Paper SPE 12714) SPERE Aug. 87, 373-386

Displacement
Experiments: new algorithm for estimating relative permeabilities from, (Tech. Paper SPE 14476) SPERE Feb. 87, 103-112
In water-wet rock: physics of oil entrapment, (Tech. Paper SPE 9406) SPERE Feb. 87, 113-128
Modeling: tar sands reservoirs, (Tech. Paper SPE 13222) SPERE Nov. 87, 565-572
Of oil by surfactant solutions: gravity effects in, (Tech. Paper SPE 13573) SPERE Nov. 87, 627-633
Of viscous oil from consolidated cores by caustic: temperatues above 257 degrees F, (Tech. Paper SPE 12040) SPERE Nov. 87, 599-604
Tests: laboratory corefloods; visualization with the aid of computerized tomography of X-rays, (Tech. Paper SPE 13654) SPERE May 87, 148-154

Distribution
Microscopic: of wetting and nonwetting phases in sandstones during immiscible displacement, (Tech. Paper SPE 13212) SPERE May 87, 137-147

Drilling
Infill: in steamflood operation; Kern River field, (Tech. Paper SPE 14337) SPERE May 87, 243-248

E

Edjeleh Field
See Algeria, (Tech. Paper SPE 14292) SPERE Nov. 87, 605-612

Engineering
Analysis: gas migration in Wasatch and Mesaverde formations; Piceance Basin, Colorado, (Tech. Paper SPE 14360) SPERE Nov. 87, 677-682

Enhanced Recovery
By gas drives: CO2/hydrocarbon systems; application of gradient theory of inhomogeneous fluid to prediction of low interfacial tensions in, (Tech. Paper SPE 14699) SPERE Nov. 87, 528-530
Comparison of sodium carbonate, sodium hydroxide, and sodium orthosilicate for, (Tech. Paper SPE 12039) SPERE Feb. 87, 9-16
Oil: development and evaluation of polymers suitable for hostile environments; part 1--copolymers of vinylprrolidone, (Tech. Paper SPE 14233) SPERE Nov. 87, 461-467
Oil: thermal; laboratory seismic methods for remote monitoring of, (Tech. Paper SPE 12744) SPERE May 87, 235-242
Oil: with Penn State surfactants, (Tech. Paper SPE 12308) SPERE May 87, 166-176
Polymer flooding: biocide evaluation against sessile xanthan polymer-degrading bacteria, (Tech. Paper SPE 13588) SPERE Nov. 87, 647-652
Surfactant flooding: carbonate reservoirs, (Tech. Paper SPE 12686) SPERE Nov. 87, 619-626
Surfactants for: kinetic study of decomposition of, (Tech. Paper SPE 12662) SPERE Nov. 87, 613-618
With chemicals: slug size and mobility requirements; heterogeneous oil reservoirs, (Tech. Paper SPE 13704) SPERE Feb. 87, 92-102

Environments
Hostile: development and evaluation of EOR polymers suitable for; part 1--copolymers of vinylprrolidone and acrylamide, (Tech. Paper SPE 14233) SPERE Nov. 87, 461-467

Equations of State
In compositional steamflood simulation: comparison of K-value calculation methods, (Tech. Paper SPE 12750) SPERE May 87, 249-257
Peng-Robinson: and a mixing rule for asymmetric systems; four-phase flash equilibrium calculations using, (Tech. Paper SPE 14148) SPERE Nov. 87, 687-694

Equilibrium
Four-phase flash calculations: use of Peng-Robinson EOS and a mixing rule for asymmetric systems, (Tech. Paper SPE 14148) SPERE Nov. 87, 687-694
Of mineral/alkali reactions: study of, (Tech. Paper SPE 13032) SPERE Nov. 87, 653-663

Phase: direct solution of equations; new approach to limited compositional simulation, (Tech. Paper SPE 13518) SPERE Nov. 87, 703-712
Two-phase flash: development of efficient algorithm for calculation of, (Tech. Paper SPE 13951) SPERE Nov. 87, 695-702

Equilibrium Ratios
Calculation methods: comparison in compositional steamflood simulation, (Tech. Paper SPE 12750) SPERE May 87, 249-257

Equipment
Compositional micellar/polymer simulator: description of improved type, (Tech. Paper SPE 13967) SPERE Nov. 87, 427-432
Rising-bubble apparatus: rapid measurement of minimum miscibility pressure with, (Tech. Paper SPE 13114) SPERE Nov. 87, 523-527

Evaluations
And development of EOR polymers suitable for hostile environments: part 1--copolymers of vinylpyrrolidone and acrylamide, (Tech. Paper SPE 14233) SPERE Nov. 87, 461-467
Biocide against sessile xanthan polymer-degrading bacteria, (Tech. Paper SPE 13588) SPERE Nov. 87, 647-652
Field and laboratory: method for proposed polymer flood, (Tech. Paper SPE 13124) SPERE Nov. 87, 452-460
Of Devonian shale gas reservoirs, (Tech. Paper SPE 14446) SPERE May 87, 209-216
Of lignosulfonate as sacrificial absorbate in surfactant flooding, (Tech. Paper SPE 12699) SPERE Feb. 87, 17-27

F

Field Tests
Evaluation of proposed polymer flood, (Tech. Paper SPE 13124) SPERE Nov. 87, 452-460
Of gas migration: in Wasatch and Mesaverde formations; Piceance Basin, Colorado, (Tech. Paper SPE 14360) SPERE Nov. 87, 677-682
Surfactant flooding: carbonate reservoirs, (Tech. Paper SPE 12686) SPERE Nov. 87, 619-626

Fingering
During gas injection: studies of critical gas saturation, (Tech. Paper SPE 12335) SPERE Aug. 87, 387-393
Viscous: in corefloods; computer image processing, new tool for studying, (Tech. Paper SPE 13668) SPERE Nov. 87, 720-728
Viscous: of polymer flow in porous media; experimental and theoretical study, (Tech. Paper SPE 14231) SPERE Aug. 87, 281-304

Finite Difference Method
Negligible numerical dispersion in solving the radial convection-dispersion problem, (Tech. Paper SPE 16001) SPERE Aug. 87, 343-359
Use in detailed simulation of unstable processes in miscible flooding, (Tech. Paper SPE 14896) SPERE Nov. 87, 514-522
Use of reservoir simulation, (Tech. Paper SPE 13513) SPERE Aug. 87, 360-372

Finite Element Method
Moving elements for transport processes, (Tech. Paper SPE 13511) SPERE Aug. 87, 401-408

Fireflood
Oxygen: combustion tube tests with light, medium, and heavy crude oils, (Tech. Paper SPE 12726) SPERE Nov. 87, 583-590
Tar sands reservoirs: heat transfer and oil displacement models for, (Tech. Paper SPE 13222) SPERE Nov. 87, 565-572

Flow Properties
At microscopic level: capillary fluids, (Tech. Paper SPE 14698) SPERE May 87, 155-165

Flow Rate
Computations: well singularities in reservoir simulation, (Tech. Paper SPE 14812) SPERE Nov. 87, 713-719

Fluid Flow
Convection dominated: moving elements for transport processes, (Tech. Paper SPE 13511) SPERE Aug. 87, 401-408
Convection in porous media: use of higher-order differencing techniques in reservoir simulation, (Tech. Paper SPE 13513) SPERE Aug. 87, 360-372
Flow behavior of foam: porous micromodel study, (Tech. Paper SPE 11349) SPERE Aug. 87, 315-323
Miscible flooding: detailed simulation of unstable processes in, (Tech. Paper SPE 14896) SPERE Nov. 87, 514-522
Oil-bank movements in porous media: concept of relative ganglion velocity and generalization to, (Tech. Paper SPE 14876) SPERE Nov. 87, 671-676
Polymer in porous media: experimental and theoretical study, (Tech. Paper SPE 14231) SPERE Aug. 87, 281-304

Foams
Flow behavior of: porous micromodel study, (Tech. Paper SPE 11349) SPERE Aug. 87, 315-323

Fractured Reservoirs or Fracturing
Geothermal: effects of noncondensible gases on fluid recovery, (Tech. Paper SPE 15121) SPERE Aug. 87, 335-342

Fractures
Vertical: exact solutions for infinite-conductivity wells, (Tech. Paper SPE 13846) SPERE May 87, 217-226

Frontal Advance Equation
Welge's method of shock front location: modification in Buckley-Leverett problem for nonzero initial condition; further discussion of, (Tech. Paper, Discussion SPE 16458) SPERE May 87, 260-261

G

Gas Injection
Studies of critical gas saturation during, (Tech. Paper SPE 12335) SPERE Aug. 87, 387-393

Gas Reservoirs
Evaluation of Devonian shale, (Tech. Paper SPE 14446) SPERE May 87, 209-216

Gas Saturation
Critical: during gas saturation; studies of, (Tech. Paper SPE 12335) SPERE Aug. 87, 387-393

Gas Storage
Physical process of: and movement in coal seams, (Tech. Paper SPE 12514) SPERE Feb. 87, 28-34

Gases
Air and other nonhydrocarbons: cycling with, (Tech. Paper SPE 13229) SPERE Nov. 87, 683-686
Noncondensible: effects on fluid recovery in fractured geothermal reservoirs, (Tech. Paper SPE 15121) SPERE Aug. 87, 335-342

Gels
Aluminum/polymer system: new development for permeability adjustment, (Tech. Paper SPE 12641) SPERE May 87, 177-183

In-situ calculations in complex reservoir systems: new chemical flood simulator used, (Tech. Paper SPE 14234) SPERE Nov. 87, 634-646

Geothermal Reservoir
Fractured: effects of noncondensible gases on fluid recovery, (Tech. Paper SPE 15121) SPERE Aug. 87, 335-342
Water-influx modeling of: Svartsengi geothermal field, Iceland, (Tech. Paper SPE 13615) SPERE Feb. 87, 77-84

Glavanic Action
New approach to limited compositional simulation: direct solution of phase equilibrium equations, (Tech. Paper SPE 13518) SPERE Nov. 87, 703-712

Gravity
Effects: in displacement of oil by surfactant solutions, (Tech. Paper SPE 13573) SPERE Nov. 87, 627-633

Guidelines
For converting steamflood to waterflood, (Tech. Paper SPE 13605) SPERE Feb. 87, 67-76

H

Heat Transfer
And oil displacement models for tar sands reservoirs, (Tech. Paper SPE 13222) SPERE Nov. 87, 565-572

Heterogeneity
Microscopic pore structure: interaction of phase behavior with; prediction of CO2 flood performance, (Tech. Paper SPE 13115) SPERE Nov. 87, 531-542

History
Matching, automatic: of laboratory corefloods to obtain relative-permeability curves, (Tech. Paper SPE 12356) SPERE Feb. 87, 85-91

Hydrocarbons
CO2 systems: low interfacial tensions in; application of gradient theory of inhomogeneous fluid to prediction of, (Tech. Paper SPE 14699) SPERE Nov. 87, 528-530
Multicontact miscible displacement of reservoir fluids by: minimum miscibility pressure required; generalized correlation; author's reply to discussion of, (Tech. Paper, Rebuttal SPE 16287) SPERE Feb. 87, 102

Hydrolysis
And precipitation of polyacrylamides in hard brines: elevated temperatures, (Tech. Paper SPE 13033) SPERE May 87, 189-198

Hydrophile/Lipophile Balance
Applied to thermal simulation, (Tech. Paper SPE 14043) SPERE Nov. 87, 596-598
Case study solved by gradient: surfactant flooding with hard water, (Tech. Paper SPE 14292) SPERE Nov. 87, 605-612

I

Iceland
Svartsengi geothermal field: water-influx modeling of, (Tech. Paper SPE 13615) SPERE Feb. 87, 77-84

Imagery
Computer processing: new tool for studying viscous fingering in corefloods, (Tech. Paper SPE 13668) SPERE Nov. 87, 720-728

Immiscible Displacement
Microscopic distribution of wetting and nonwetting phases during immiscible displacements, (Tech. Paper SPE 13212) SPERE May 87, 137-147

Implicit Pressure, Explicit Saturation (IMPES)
Adaptive implicit methods applied to thermal simulation, (Tech. Paper SPE 14043) SPERE Nov. 87, 596-598

In-Situ Combustion
Low-temperature-oxidation kinetic parameters for: numerical simulation, (Tech. Paper SPE 12004) SPERE Nov. 87, 573-582
Processes: new kinetic models for thermal cracking of crude oils in, (Tech. Paper SPE 13074) SPERE Feb. 87, 54-66

Injectivity
Of polymer: improving at West Coyote field, California, (Tech. Paper SPE 13603) SPERE Aug. 87, 271-280

Interfacial Tension
Low: in CO2/hydrocarbon systems; application of gradient theory of inhomogeneous fluid to prediction of, (Tech. Paper SPE 14699) SPERE Nov. 87, 528-530
Surfactant solutions: gravity effects in displacement of oil by, (Tech. Paper SPE 13573) SPERE Nov. 87, 627-633

Interpretation
Of miscible displacements in laboratory cores, (Tech. Paper SPE 14898) SPERE Nov. 87, 492-500
Of rising-bubble apparatus experiments: rapid measurement of minimum miscibility pressure with, (Tech. Paper SPE 13114) SPERE Nov. 87, 523-527

J

Jump Process
In water-wet rock: physics of oil entrapment, (Tech. Paper SPE 9406) SPERE Feb. 87, 113-128

K

K-Values
Calculation methods: comparison in compositional steamflood simulation, (Tech. Paper SPE 12750) SPERE May 87, 249-257

Kentucky
Evaluation of Devonian shale gas reservoirs, (Tech. Paper SPE 14446) SPERE May 87, 209-216

Kern River Field
See California

Kinetics
Models for thermal cracking of crude oils: in-situ combustion processes, (Tech. Paper SPE 13074) SPERE Feb. 87, 54-66
Of mineral/alkali reactions: study of, (Tech. Paper SPE 13032) SPERE Nov. 87, 653-663
Study of decomposition of surfactants for EOR, (Tech. Paper SPE 12662) SPERE Nov. 87, 613-618

L

Laboratory Studies
Capillary fluids: properties at microscopic level, (Tech. Paper SPE 14698) SPERE May 87, 155-165
Comparison of improved compositional micellar/polymer simulator with corefloods, (Tech. Paper SPE 12083) SPERE Nov. 87, 441-451
Critical gas saturation during gas injection, (Tech. Paper SPE 12335) SPERE Aug. 87, 387-393
Crude oil combustion: catalytic effect of heavy metal oxides on, (Tech. Paper SPE 14484) SPERE Nov. 87, 591-595
Decomposition of surfactants for EOR: kinetic study of, (Tech. Paper SPE 12662) SPERE Nov. 87, 613-618
Displacement of viscous oil from consolidated cores by caustic: temperatures above 257 degrees F, (Tech. Paper SPE 12040) SPERE Nov. 87, 599-604
Flow behavior of foam: porous micromodel, (Tech. Paper SPE 11349) SPERE Aug. 87, 315-323

Gas migration: Wasatch and Mesaverde formations: Piceance Basin, Colorado, (Tech. Paper SPE 14360) SPERE Nov. 87, 677-682
Gravity effects: displacement of oil by surfactant solutions, (Tech. Paper SPE 13573) SPERE Nov. 87, 627-633
Hydrolysis and precipitation of polyacrylamides: in hard brines at elevated temperatures, (Tech. Paper SPE 13033) SPERE May 87, 189-198
Immiscible displacement: microscopic distribution of wetting and nonwetting phases in sandstones, (Tech. Paper SPE 13212) SPERE May 87, 137-147
In-situ combustion: numerical simulation of low-temperature-oxidation kinetic parameters for, (Tech. Paper SPE 12004) SPERE Nov. 87, 573-582
Micellar/polymer flooding: improvements in physical-property models used in, (Tech. Paper SPE 12723) SPERE Nov. 87, 433-440
Mineral/alkali reactions study, (Tech. Paper SPE 13032) SPERE Nov. 87, 653-663
Minimum miscibility pressure: rapid measurement with rising-bubble apparatus, (Tech. Paper SPE 13114) SPERE Nov. 87, 523-527
Miscible displacement of crude oil by CO2/SO2 mixtures, (Tech. Paper SPE 12707) SPERE May 87, 199-208
Of lignosulfonate as sacrificial absorbate in surfactant flooding: evaluation of, (Tech. Paper SPE 12699) SPERE Feb. 87, 17-27
Of method for evaluation of proposed polymer flood, (Tech. Paper SPE 13124) SPERE Nov. 87, 452-460
Of sodium carbonate, sodium hydroxide, and sodium orthosilicate: comparison for EOR, (Tech. Paper SPE 12039) SPERE Feb. 87, 9-16
On cores: interpretation of miscible displacements in, (Tech. Paper SPE 14898) SPERE Nov. 87, 492-500
Oxygen fireflooding: combustion tube tests with light, medium, and heavy crude oils, (Tech. Paper SPE 12726) SPERE Nov. 87, 583-590
Penn State surfactants: EOR with, (Tech. Paper SPE 12308) SPERE May 87, 166-176
Permeability adjustment: development of new aluminum/polymer gel system for, (Tech. Paper SPE 12641) SPERE May 87, 177-183
Polymer flow in porous media, (Tech. Paper SPE 14231) SPERE Aug. 87, 281-304
Polymer injectivity improvement: West Coyote field, California, (Tech. Paper SPE 13603) SPERE Aug. 87, 271-280
Seismic methods for remote monitoring of thermal EOR, (Tech. Paper SPE 12744) SPERE May 87, 235-242
Sessile xanthan polymer-degrading bacteria: biocide evaluation against, (Tech. Paper SPE 13588) SPERE Nov. 87, 647-652
Solubilization by amphiphiles: effect of oil type on, (Tech. Paper SPE 12674) SPERE Feb. 87, 41-53
Steamflood additives: effectiveness of screening tests as predictive models, (Tech. Paper SPE 14904) SPERE Nov. 87, 543-548
Surfactant flooding with hard water: case study solved by HLB gradient, (Tech. Paper SPE 14292) SPERE Nov. 87, 605-612
Thermal cracking of crude oils in in-situ combustion processes: new kinetic models, (Tech. Paper SPE 13074) SPERE Feb. 87, 54-66
Viscous fingering in corefloods: computer image processing; new tool for studying, (Tech. Paper SPE 13668) SPERE Nov. 87, 720-728
Visualization of corefloods with aid of computerized tomography of X-rays, (Tech. Paper SPE 13654) SPERE May 87, 148-154

Lignosulfonates
As sacrificial absorbate in surfactant flooding: evaluation of, (Tech. Paper SPE 12699) SPERE Feb. 87, 17-27
Limited Entry
Flow problem: exact solutions for infinite-conductivity wells, (Tech. Paper SPE 13846) SPERE May 87, 217-226
Liquids
Crystalline region: viscosity and phase behavior of petroleum sulfonate solutions in, (Tech. Paper SPE 12700) SPERE Nov. 87, 664-670

M

Maljamar Field
See New Mexico
Mathematics
Buckley-Leverett problem for nonzero initial condition: modification of Welge's method of shock front location; further discussion of, (Tech. Paper, Discussion SPE 16458) SPERE May 87, 260-261
Measurement
Rapid: of minimum miscibility pressure with rising-bubble apparatus, (Tech. Paper SPE 13114) SPERE Nov. 87, 523-527
Underground: observations of gas movement in coal seams; reservoir engineering in coal seams, (Tech. Paper SPE 14479) SPERE Feb. 87, 35-40
Metals
Heavy: catalytic effect of oxides on crude oil combustion, (Tech. Paper SPE 14484) SPERE Nov. 87, 591-595
Micellar Systems
And polymer simulator: comparison of improved compositional type with laboratory corefloods, (Tech. Paper SPE 12083) SPERE Nov. 87, 441-451
And polymer simulator: description of improved compositional type, (Tech. Paper SPE 13967) SPERE Nov. 87, 427-432
Polymer flooding: improvements in physical-property models used in, (Tech. Paper SPE 12723) SPERE Nov. 87, 433-440
Surfactant flooding with hard water: case study solved by HLB gradient, (Tech. Paper SPE 14292) SPERE Nov. 87, 605-612
Microemulsions
And oil/water phases: partitioning of nonionic and anionic surfactant mixtures between, (Tech. Paper SPE 13030) SPERE Aug. 87, 305-314
Micropore Systems
Pore structure heterogeneity: interaction of phase behavior with; prediction of CO2 flood performance, (Tech. Paper SPE 13115) SPERE Nov. 87, 531-542
Migration
Gas: case study of Wasatch and Mesaverde formations; Piceance Basin, Colorado, (Tech. Paper SPE 14360) SPERE Nov. 87, 677-682
Minerals
Alkali reactions study, (Tech. Paper SPE 13032) SPERE Nov. 87, 653-663
Minimum Miscibility Pressure (MMP)
Calculation of, (Tech. Paper SPE 14929) SPERE Nov. 87, 501-506
Effect of oil composition on: part 2--correlation, (Tech. Paper SPE 14150) SPERE Nov. 87, 479-491
Of nitrogen and lean gas: analysis and correlation of; discussion of, (Tech. Paper, Discussion SPE 16463) SPERE May 87, 258-259
Rapid measurement with rising-bubble apparatus, (Tech. Paper SPE 13114) SPERE Nov. 87, 523-527

Miscible Displacement
Condensing and vaporizing: calculation of minimum miscibility pressure, (Tech. Paper SPE 14929) SPERE Nov. 87, 501-506
Detailed simulation of unstable processes in flooding, (Tech. Paper SPE 14896) SPERE Nov. 87, 514-522
In laboratory cores: interpretation of, (Tech. Paper SPE 14898) SPERE Nov. 87, 492-500
Minimum miscibility pressure: generalized correlation; author's reply to discussion of, (Tech. Paper, Rebuttal SPE 16287) SPERE Feb. 87, 102
Of crude oil by CO2/SO2 mixtures, (Tech. Paper SPE 12707) SPERE May 87, 199-208
Mixing
Rule: and Peng-Robinson EOS for asymmetric systems: four-phase flash equilibrium calculations using, (Tech. Paper SPE 14148) SPERE Nov. 87, 687-694
Mixtures
Nonionic and anionic surfactant: partitioning between oil/microemulsion/water phases, (Tech. Paper SPE 13030) SPERE Aug. 87, 305-314
Of CO2/SO2: miscible displacement of crude oil by, (Tech. Paper SPE 12707) SPERE May 87, 199-208
Ternary: calculation of minimum miscibility pressure, (Tech. Paper SPE 14929) SPERE Nov. 87, 501-506
Mobility
And slug size requirements: chemically enhanced oil recovery within heterogeneous reservoirs, (Tech. Paper SPE 13704) SPERE Feb. 87, 92-102
Fluid: investigation of unexpectedly low field-observed values during some CO2 tertiary floods, (Tech. Paper SPE 14308) SPERE Nov. 87, 507-513
Reduction: flow behavior of foam; porous micromodel study, (Tech. Paper SPE 11349) SPERE Aug. 87, 315-323
Models
Compositional: analysis and correlation of nitrogen and lean gas miscibility pressures; discussion of, (Tech. Paper, Discussion SPE 16463) SPERE May 87, 258-259
Compositional: new approach to limited simulation; direct solution of phase equilibrium equations, (Tech. Paper SPE 13518) SPERE Nov. 87, 703-712
Computer: adaptive implicit methods applied to thermal simulation, (Tech. Paper SPE 14043) SPERE Nov. 87, 596-598
Computer: for cycling with air and other nonhydrocarbon gases, (Tech. Paper SPE 13229) SPERE Nov. 87, 683-686
Conical geometric: analysis of oil-bank movements in porous media; concept of relative ganglion velocity and generalization to, (Tech. Paper SPE 14876) SPERE Nov. 87, 671-676
Convective heat transfer and oil displacement: tar sands reservoirs, (Tech. Paper SPE 13222) SPERE Nov. 87, 565-572
Formulation and validation: for prediction of CO2 flood performance; interaction of phase behavior with microscopic pore structure heterogeneity, (Tech. Paper SPE 13115) SPERE Nov. 87, 531-542
Gradient theory of inhomogeneous fluid: applied to prediction of low interfacial tensions in CO2/hydrocarbon systems, (Tech. Paper SPE 14699) SPERE Nov. 87, 528-530
Interfacial pseudophase: partitioning of nonionic and anionic surfactant mixtures between oil/microemulsion/water phases, (Tech. Paper SPE 13030) SPERE Aug. 87, 305-314
Ion exchange: an evaluation of lignosulfonate as sacrificial adsorbate in surfactant flooding, (Tech. Paper SPE 12699) SPERE Feb. 87, 17-27
Kinetic: for thermal cracking of crude oils in in-situ combustion processes, (Tech. Paper SPE 13074) SPERE Feb. 87, 54-66
Kinetic: low-temperature-oxidation parameters for in-situ combustion; numerical simulation, (Tech. Paper SPE 12004) SPERE Nov. 87, 573-582
Mathematical: automatic history matching of laboratory corefloods to obtain relative-permeability curves, (Tech. Paper SPE 12356) SPERE Feb. 87, 85-91
Mathematical: polymer injectivity; West Coyote field, California, (Tech. Paper SPE 13603) SPERE Aug. 87, 271-280
Micro, porous: flow behavior of foam study, (Tech. Paper SPE 11349) SPERE Aug. 87, 315-323
Mixing: interpretation of miscible displacements in laboratory cores, (Tech. Paper SPE 14898) SPERE Nov. 87, 492-500
Of water-wet rock: physics of oil entrapment, (Tech. Paper SPE 9406) SPERE Feb. 87, 113-128
Phase behavior: comparison of improved compositional micellar/polymer simulator with laboratory corefloods, (Tech. Paper SPE 12083) SPERE Nov. 87, 441-451
Physical property: compositional micellar/polymer simulator; description of improved type, (Tech. Paper SPE 13967) SPERE Nov. 87, 427-432
Physical-property: improvements in those used in micellar/polymer flooding, (Tech. Paper SPE 12723) SPERE Nov. 87, 433-440
Predictive: for steamflood additives; effectiveness as screening tests, (Tech. Paper SPE 14904) SPERE Nov. 87, 543-548
Sandpack: detailed simulation of unstable processes in miscible flooding, (Tech. Paper SPE 14896) SPERE Nov. 87, 514-522
Stratified reservoir: in-situ gel calculations in complex systems using new chemical flood simulator, (Tech. Paper SPE 14234) SPERE Nov. 87, 634-646
Stratified: heterogeneous reservoirs; slug size and mobility requirements for chemically enhanced oil recovery, (Tech. Paper SPE 13704) SPERE Feb. 87, 92-102
Water influx: of Svartsengi geothermal field, Iceland, (Tech. Paper SPE 13615) SPERE Feb. 87, 77-84
Monitoring
Remote: of thermal EOR; laboratory seismic methods for, (Tech. Paper SPE 12744) SPERE May 87, 235-242

N

Natural Gas
And high-rate Devonian shale oil completions: estimating reserves with limited production data, (Tech. Paper SPE 13369) SPERE Aug. 87, 394-400
Lean: and nitrogen miscibility pressures: analysis and correlation of; discussion of, (Tech. Paper, Discussion SPE 16463) SPERE May 87, 258-259
New Mexico
Carbonate cores: interpretation of miscible displacements in the laboratory, (Tech. Paper SPE 14898) SPERE Nov. 87, 492-500
Maljamar field: crude oil; four-phase flash equilibrium calculations using Peng-Robinson EOS and a mixing rule for asymmetric systems, (Tech. Paper SPE 14148) SPERE Nov. 87, 687-694
Maljamar field: effect of oil composition on minimum miscibility pressure; part 2--correlation, (Tech. Paper SPE 14150) SPERE Nov. 87, 479-491

Nitrogen
And lean gas miscibility pressures: analysis and correlation of; discussion of, (Tech. Paper, Discussion SPE 16463) SPERE May 87, 258-259
And other nonhydrocarbon gases: cycling with, (Tech. Paper SPE 13229) SPERE Nov. 87, 683-686
Multicontact miscible displacement of reservoir fluids by: minimum miscibility pressure required; generalized correlation; author's reply to discussion of, (Tech. Paper, Rebuttal SPE 16287) SPERE Feb. 87, 102
Numerical Solutions
Approximate partial-penetration pseudoskin: infinite-conductivity wells, (Tech. Paper SPE 13956) SPERE May 87, 227-234
Computer image processing: new tool for studying viscous fingering in corefloods, (Tech. Paper SPE 13668) SPERE Nov. 87, 720-728
Convection-diffusion equations solution without numerical dispersion: accurate technique, (Tech. Paper SPE 12714) SPERE Aug. 87, 373-386
Effects of noncondensible gases on fluid recovery: fractured geothermal reservoirs, (Tech. Paper SPE 15121) SPERE Aug. 87, 335-342
Estimating relative permeabilities from displacement experiments: new algorithm for, (Tech. Paper SPE 14476) SPERE Feb. 87, 103-112
For improved compositional micellar/polymer simulator: description of, (Tech. Paper SPE 13967) SPERE Nov. 87, 427-432
For infinite-conductivity wells: exact solutions, (Tech. Paper SPE 13846) SPERE May 87, 217-226
For radial convection-dispersion problem, (Tech. Paper SPE 16001) SPERE Aug. 87, 343-359
Four-phase flash equilibrium: calculations using Peng-Robinson EOS and a mixing rule for asymmetric systems, (Tech. Paper SPE 14148) SPERE Nov. 87, 687-694
In-situ gel calculations: complex reservoir systems; new chemical flood simulator used, (Tech. Paper SPE 14234) SPERE Nov. 87, 634-646
Interaction of phase behavior with microscopic pore structure heterogeneity: prediction of CO2 flood performance, (Tech. Paper SPE 13115) SPERE Nov. 87, 531-542
Miscible flooding: detailed simulation of unstable processes in, (Tech. Paper SPE 14896) SPERE Nov. 87, 514-522
Moving elements for transport processes, (Tech. Paper SPE 13511) SPERE Aug. 87, 401-408
Of polymer flow in porous media, (Tech. Paper SPE 14231) SPERE Aug. 87, 281-304
Oil-bank movements in porous media: concept of relative ganglion velocity and generalization to, (Tech. Paper SPE 14876) SPERE Nov. 87, 671-676
Phase equilibrium equations: direct solution; new approach to limited compositional simulation, (Tech. Paper SPE 13518) SPERE Nov. 87, 703-712
Simulation of low-temperature-oxidation kinetic parameters for in-situ combustion, (Tech. Paper SPE 12004) SPERE Nov. 87, 573-582
Slug size and mobility requirements: chemically enhanced oil recovery within heterogeneous reservoirs, (Tech. Paper SPE 13704) SPERE Feb. 87, 92-102
Two-phase flash equilibria: development of efficient algorithm for calculation of, (Tech. Paper SPE 13951) SPERE Nov. 87, 695-702
Use of higher-order differencing techniques in reservoir simulation, (Tech. Paper SPE 13513) SPERE Aug. 87, 360-372
Using gradient theory of inhomogeneous fluid model: application in prediction of low interfacial tensions in CO2/hydrocarbon systems, (Tech. Paper SPE 14699) SPERE Nov. 87, 528-530
Well singularities in reservoir simulation, (Tech. Paper SPE 14812) SPERE Nov. 87, 713-719

O

Ohio
Evaluation of Devonian shale gas reservoirs, (Tech. Paper SPE 14446) SPERE May 87, 209-216
Oil
And microemulsion/water phases: partitioning of nonionic and anionic surfactant mixtures between, (Tech. Paper SPE 13030) SPERE Aug. 87, 305-314
Bank: movements in porous media; concept of relative ganglion velocity and generalization to, (Tech. Paper SPE 14876) SPERE Nov. 87, 671-676
Displacement and heat transfer models: tar sands reservoirs, (Tech. Paper SPE 13222) SPERE Nov. 87, 565-572
Displacement by surfactant solutions: gravity effects in, (Tech. Paper SPE 13573) SPERE Nov. 87, 627-633
Entrapment: physics in water-wet rock, (Tech. Paper SPE 9406) SPERE Feb. 87, 113-128
Type: effect on solubilization by amphiphiles, (Tech. Paper SPE 12674) SPERE Feb. 87, 41-53
Oil Recovery
Chemically enhanced: slug size and mobility requirements; heterogeneous reservoirs, (Tech. Paper SPE 13704) SPERE Feb. 87, 92-102
Comparison of sodium carbonate, sodium hydroxide, and sodium orthosilicate for, (Tech. Paper SPE 12039) SPERE Feb. 87, 9-16
Enhanced with Penn State surfactants, (Tech. Paper SPE 12308) SPERE May 87, 166-176
Surfactant flooding: carbonate reservoirs, (Tech. Paper SPE 12686) SPERE Nov. 87, 619-626
Surfactants for: kinetic study of decomposition of, (Tech. Paper SPE 12662) SPERE Nov. 87, 613-618
Thermal: enhanced; laboratory seismic methods for remote monitoring of, (Tech. Paper SPE 12744) SPERE May 87, 235-242
Oxidation
Kinetic parameters at low temperature for in-situ combustion: numerical simulation, (Tech. Paper SPE 12004) SPERE Nov. 87, 573-582
Oxygen
Fireflooding: combustion tube tests with light, medium, and heavy crude oils, (Tech. Paper SPE 12726) SPERE Nov. 87, 583-590

P

Parameters
Estimation approach: new algorithm for relative permeabilities from displacement experiments, (Tech. Paper SPE 14476) SPERE Feb. 87, 103-112
Penetration
Partial: approximate pseudoskin for infinite-conductivity wells, (Tech. Paper SPE 13956) SPERE May 87, 227-234
Pennsylvania
State University surfactants: EOR with, (Tech. Paper SPE 12308) SPERE May 87, 166-176

Permeability
Adjustment: development of new aluminum/polymer gel system for, (Tech. Paper SPE 12641) SPERE May 87, 177-183
Of coal seams: physical process of gas storage and movement in; Part 1--reservoir engineering in coal seams, (Tech. Paper SPE 12514) SPERE Feb. 87, 28-34
Petroleum Sulfonates
Solutions in liquid crystalline region: viscosity and phase behavior of, (Tech. Paper SPE 12700) SPERE Nov. 87, 664-670
Phase Behavior
And viscosity of petroleum sulfonate solutions in liquid crystalline region, (Tech. Paper SPE 12700) SPERE Nov. 87, 664-670
Direct solution of equilibrium equations: new approach to limited compositional simulation, (Tech. Paper SPE 13518) SPERE Nov. 87, 703-712
During some CO2 tertiary flood: investigation of unexpectedly low field-observed fluid mobilities, (Tech. Paper SPE 14308) SPERE Nov. 87, 507-513
Four-phase flash equilibrium: calculations using Peng-Robinson EOS and a mixing rule for asymmetric systems, (Tech. Paper SPE 14148) SPERE Nov. 87, 687-694
Interaction with microscopic pore structure heterogeneity; prediction of CO2 flood performance, (Tech. Paper SPE 13115) SPERE Nov. 87, 531-542
Oil/microemulsion/water: partitioning of nonionic and anionic surfactant mixtures between, (Tech. Paper SPE 13030) SPERE Aug. 87, 305-314
Two-phase flash equilibria: development of efficient algorithm for calculation of, (Tech. Paper SPE 13951) SPERE Nov. 87, 695-702
Wetting and nonwetting phases in sandstones during immiscible displacement, (Tech. Paper SPE 13212) SPERE May 87, 137-147
Piceance Basin
See Colorado, (Tech. Paper SPE 14360) SPERE Nov. 87, 677-682
Polyacrylamide
And other anionic polymers: automated and manual methods for determination of, (Tech. Paper SPE 13589) SPERE May 87, 184-188
Hydrolysis and precipitation of: in hard brines at elevated temperatures, (Tech. Paper SPE 13033) SPERE May 87, 189-198
Polymers
And aluminum gel system: new development for permeability adjustment, (Tech. Paper SPE 12641) SPERE May 87, 177-183
And micellar flooding: improvements in physical-property models used in, (Tech. Paper SPE 12723) SPERE Nov. 87, 433-440
And micellar simulator: comparison of improved compositional type with laboratory corefloods, (Tech. Paper SPE 12083) SPERE Nov. 87, 441-451
And micellar simulator: description of improved compositional type, (Tech. Paper SPE 13967) SPERE Nov. 87, 427-432
Anionic: polyacrylamide and other anionic polymers; automated and manual methods for determination of, (Tech. Paper SPE 13589) SPERE May 87, 184-188
EOR type suitable for hostile environments: development and evaluation of; part 1--copolymers of vinylpyrrolidone and acrylamide, (Tech. Paper SPE 14233) SPERE Nov. 87, 461-467
Flooding: biocide evaluation against sessile xanthan polymer-degrading bacteria, (Tech. Paper SPE 13588) SPERE Nov. 87, 647-652
Floods: comparison of sodium carbonate, sodium hydroxide, and sodium orthosilicate for, (Tech. Paper SPE 12039) SPERE Feb. 87, 9-16
Flow in porous media: experimental and theoretical study, (Tech. Paper SPE 14231) SPERE Aug. 87, 281-304
Gels: calculations using new chemical flood simulator; complex reservoir systems, (Tech. Paper SPE 14234) SPERE Nov. 87, 634-646
Improving injectivity at West Coyote field, California, (Tech. Paper SPE 13603) SPERE Aug. 87, 271-280
Proposed flood: method for laboratory and field evaluation of, (Tech. Paper SPE 13124) SPERE Nov. 87, 452-460
Pore Structure
Microscopic heterogeneity: interaction of phase behavior with; prediction of CO2 flood performance, (Tech. Paper SPE 13115) SPERE Nov. 87, 531-542
Porosimeters
Resin and Woods metal: microscopic distribution of wetting and nonwetting phases in sandstones during immiscible displacement, (Tech. Paper SPE 13212) SPERE May 87, 137-147
Porous Media
Oil-bank movements in: concept of relative ganglion velocity and generalization to, (Tech. Paper SPE 14876) SPERE Nov. 87, 671-676
Polymer flow in: experimental and theoretical study, (Tech. Paper SPE 14231) SPERE Aug. 87, 281-304
Precipitation
And hydrolysis of polyacrylamides in hard brines: elevated temperatures, (Tech. Paper SPE 13033) SPERE May 87, 189-198
Pressure Behavior
Minimum miscibility: generalized correlation; author's reply to discussion of, (Tech. Paper, Rebuttal SPE 16287) SPERE Feb. 87, 102
Production
Data limited: estimating reserves for high-rate Devonian shale oil and gas completions with, (Tech. Paper SPE 13369) SPERE Aug. 87, 394-400
Pseudoskin Factors
For infinite-conductivity wells: approximate partial penetration, (Tech. Paper SPE 13956) SPERE May 87, 227-234

R

Relative Permeability
Curves: automatic history matching of laboratory corefloods to obtain, (Tech. Paper SPE 12356) SPERE Feb. 87, 85-91
Estimating from displacement experiments: new algorithm for, (Tech. Paper SPE 14476) SPERE Feb. 87, 103-112
Reservoir Engineering
In coal seams: Part 1--physical process of gas storage and movement in coal seams, (Tech. Paper SPE 12514) SPERE Feb. 87, 28-34
In coal seams: Part 2--observations of gas movement in coal seams, (Tech. Paper SPE 14479) SPERE Feb. 87, 35-40
Reservoir Simulation
Case study of gas migration: Wasatch and Mesaverde formations; Piceance Basin, Colorado, (Tech. Paper SPE 14360) SPERE Nov. 87, 677-682
Moving elements for transport processes, (Tech. Paper SPE 13511) SPERE Aug. 87, 401-408
Steamflood: examination of confined-pattern concept, (Tech. Paper SPE 13621) SPERE Nov. 87, 559-564
Use of higher-order differencing techniques in, (Tech. Paper SPE 13513) SPERE Aug. 87, 360-372

Well singularities in, (Tech. Paper SPE 14812) SPERE Nov. 87, 713-719

Reservoirs
Heterogeneous: slug size and mobility requirements for chemically enhanced oil recovery, (Tech. Paper SPE 13704) SPERE Feb. 87, 92-102
Layered: steamdrive performance in; simulation sensitivity study, (Tech. Paper SPE 13606) SPERE Aug. 87, 324-334
Solution of convection-diffusion equations without numerical dispersion: accurate numerical technique, (Tech. Paper SPE 12714) SPERE Aug. 87, 373-386
Stratified: in-situ gel calculations in complex systems; new chemical flood simulator used, (Tech. Paper SPE 14234) SPERE Nov. 87, 634-646
Tar sands: heat transfer and oil displacement models for, (Tech. Paper SPE 13222) SPERE Nov. 87, 565-572

Rocks
Water-wet rock: physics of oil entrapment, (Tech. Paper SPE 9406) SPERE Feb. 87, 113-128

S

San Ardo Field
See California, (Tech. Paper SPE 13620) SPERE Nov. 87, 549-558

Sandstone
Wetting and nonwetting phases in: microscopic distribution during immiscible dispacement, (Tech. Paper SPE 13212) SPERE May 87, 137-147

Saturation
profiles: studies of critical gas saturation during gas injection, (Tech. Paper SPE 12335) SPERE Aug. 87, 387-393

Sensitivity Analysis
Simulation study: steamdrive performance in layered reservoir, (Tech. Paper SPE 13606) SPERE Aug. 87, 324-334

Shales
Devonian: evaluation of gas reservoirs, (Tech. Paper SPE 14446) SPERE May 87, 209-216

Simulation
Compositional steamflood: comparison of K-value calculation Methods, (Tech. Paper SPE 12750) SPERE May 87, 249-257
Detailed: of unstable processes in miscible flooding, (Tech. Paper SPE 14896) SPERE Nov. 87, 514-522
Limited compositional: new approach; direct solution of phase equilibrium equations, (Tech. Paper SPE 13518) SPERE Nov. 87, 703-712
Numerical: effects of noncondensible gases on fluid recovery in fractured geothermal reservoirs, (Tech. Paper SPE 15121) SPERE Aug. 87, 335-342
Numerical: low-temperature-oxidation kinetic parameters for in-situ combustion, (Tech. Paper SPE 12004) SPERE Nov. 87, 573-582
Sensitivity study: steamdrive performance in layered reservoir, (Tech. Paper SPE 13606) SPERE Aug. 87, 324-334
Steamflood: examination of confined-pattern concept, (Tech. Paper SPE 13621) SPERE Nov. 87, 559-564
Study: guidelines for converting steamflood to waterflood, (Tech. Paper SPE 13605) SPERE Feb. 87, 67-76
Thermal: adaptive implicit methods applied to, (Tech. Paper SPE 14043) SPERE Nov. 87, 596-598

Simulator
Black-oil, thermal: comparison of steamflood strategies; five-spot vs. inverted nine-spot pattern, (Tech. Paper SPE 13620) SPERE Nov. 87, 549-558
Chemical flood, new: in-situ gel calculations in complex reservoir systems using, (Tech. Paper SPE 14234) SPERE Nov. 87, 634-646
Micellar/polymer: comparison of improved compositional type with laboratory corefloods, (Tech. Paper SPE 12083) SPERE Nov. 87, 441-451
Micellar/polymer: description of improved compositional type, (Tech. Paper SPE 13967) SPERE Nov. 87, 427-432
Micellar/polymer: improvements in physical-property models used in flooding studies, (Tech. Paper SPE 12723) SPERE Nov. 87, 433-440

Skin Effect
In well singularities in reservoir simulation, (Tech. Paper SPE 14812) SPERE Nov. 87, 713-719

Slug Process
Size: and mobility requirements; chemically enhanced oil recovery within heterogeneous reservoirs, (Tech. Paper SPE 13704) SPERE Feb. 87, 92-102

Solubilization
By amphiphiles: effect of oil type on, (Tech. Paper SPE 12674) SPERE Feb. 87, 41-53

South Belridge Field
See California

Stability
Of surfactants for EOR: kinetic study of decomposition, (Tech. Paper SPE 12662) SPERE Nov. 87, 613-618
Theory: use in detailed simulation of unstable processes in miscible flooding, (Tech. Paper SPE 14896) SPERE Nov. 87, 514-522

Steamdrive
Performance in layered reservoir: simulation sensitivity study, (Tech. Paper SPE 13606) SPERE Aug. 87, 324-334

Steamflood
Additives: effectiveness of screening tests as predictive models for, (Tech. Paper SPE 14904) SPERE Nov. 87, 543-548
Compositional simulation: comparison of K-value calculation methods, (Tech. Paper SPE 12750) SPERE May 87, 249-257
Guidelines for converting to waterflood, (Tech. Paper SPE 13605) SPERE Feb. 87, 67-76
Operation: infill drilling in: Kern River field, (Tech. Paper SPE 14337) SPERE May 87, 243-248
Simulation: examination of confined-pattern concept, (Tech. Paper SPE 13621) SPERE Nov. 87, 559-564
Strategies: comparison of five-spot vs. inverted nine-spot pattern, (Tech. Paper SPE 13620) SPERE Nov. 87, 549-558
Tar sands reservoirs: heat transfer and oil displacement models for, (Tech. Paper SPE 13222) SPERE Nov. 87, 565-572
With caustic above 257 degrees F: displacement of viscous oil from consolidated cores, (Tech. Paper SPE 12040) SPERE Nov. 87, 599-604

Sulfonates
Petroleum solutions: viscosity and phase behavior in liquid crystalline region, (Tech. Paper SPE 12700) SPERE Nov. 87, 664-670
Surfactants: EOR with Penn State type, (Tech. Paper SPE 12308) SPERE May 87, 166-176

Sulfur Dioxide
And CO2 mixtures: miscible displacement of crude oil by, (Tech. Paper SPE 12707) SPERE May 87, 199-208

Surfactants
Anionic: polyacrylamide and other polymers; automated and manual methods for determination of, (Tech. Paper SPE 13589) SPERE May 87, 184-188

Decomposition for EOR: kinetic study of, (Tech. Paper SPE 12662) SPERE Nov. 87, 613-618
Flooding carbonate reservoirs, (Tech. Paper SPE 12686) SPERE Nov. 87, 619-626
Flooding: evaluation of lignosulfonate as sacrificial absorbate in, (Tech. Paper SPE 12699) SPERE Feb. 87, 17-27
Flooding: with hard water; case study solved by HLB gradient, (Tech. Paper SPE 14292) SPERE Nov. 87, 605-612
Lipophile: effect of oil type on solubilization by amphiphiles, (Tech. Paper SPE 12674) SPERE Feb. 87, 41-53
Nonionic and anionic mixtures: partitioning between oil/microemulsion/water phases, (Tech. Paper SPE 13030) SPERE Aug. 87, 305-314
Penn State: EOR with, (Tech. Paper SPE 12308) SPERE May 87, 166-176
Solutions: gravity effects in displacement of oil by, (Tech. Paper SPE 13573) SPERE Nov. 87, 627-633
Use in flow behavior of foam study: porous micromodel, (Tech. Paper SPE 11349) SPERE Aug. 87, 315-323

Svartsengi Geothermal Field
See Iceland

Sweep Efficiency
In corefloods: computer image processing; new tool for studying viscous fingering, (Tech. Paper SPE 13668) SPERE Nov. 87, 720-728

Swelling
Of clays: properties of capillary fluids at microscopic level, (Tech. Paper SPE 14698) SPERE May 87, 155-165

T

Tar Sands
Reservoirs: heat transfer and oil displacement models, (Tech. Paper SPE 13222) SPERE Nov. 87, 565-572

Temperature
Above 257 degrees F: displacement of viscous oil from consolidated cores by caustic, (Tech. Paper SPE 12040) SPERE Nov. 87, 599-604
Elevated: hydrolysis and precipitation of polyacrylamides in hard brines at, (Tech. Paper SPE 13033) SPERE May 87, 189-198
Low: oxidation kinetic parameters for in-situ combustion; numerical simulation, (Tech. Paper SPE 12004) SPERE Nov. 87, 573-582

Tertiary Recovery
CO2 floods: investigation of unexpectedly low field-observed fluid mobilities, (Tech. Paper SPE 14308) SPERE Nov. 87, 507-513

Testing
Buildup: observations of gas movement in coal seams; reservoir engineering in coal seams, (Tech. Paper SPE 14479) SPERE Feb. 87, 35-40
Combustion tube: with light, medium, and heavy crude oils; oxygen fireflooding, (Tech. Paper SPE 12726) SPERE Nov. 87, 583-590
Laboratory and field: evaluation of proposed polymer flood, (Tech. Paper SPE 13124) SPERE Nov. 87, 452-460
Parameter estimation algorithm; relative permeabilities from displacement experiments, (Tech. Paper SPE 14476) SPERE Feb. 87, 103-112
Screening tests: effectiveness as predictive models for steamflood additives, (Tech. Paper SPE 14904) SPERE Nov. 87, 543-548
Surfactant flooding with hard water: case study solved by HLB gradient, (Tech. Paper SPE 14292) SPERE Nov. 87, 605-612

Texas
Carbonate cores: interpretation of miscible displacements in the laboratory, (Tech. Paper SPE 14898) SPERE Nov. 87, 492-500
Wasson field: CO2 tertiary floods; investigation of unexpectedly low field-observed fluid mobilities, (Tech. Paper SPE 14308) SPERE Nov. 87, 507-513
West: calculation of minimum miscibility pressure of reservoir oil, (Tech. Paper SPE 14929) SPERE Nov. 87, 501-506
West: surfactant flooding carbonate reservoirs, (Tech. Paper SPE 12686) SPERE Nov. 87, 619-626

Thermal Recovery of Oil
Laboratory seismic methods for remote monitoring, (Tech. Paper SPE 12744) SPERE May 87, 235-242
Steamdrive: performance in layered reservoir, (Tech. Paper SPE 13606) SPERE Aug. 87, 324-334
Steamflood: comparison of strategies; five-spot vs. inverted nine-spot pattern, (Tech. Paper SPE 13620) SPERE Nov. 87, 549-558
Steamflood: effectiveness of screening tests as predictive models for additives, (Tech. Paper SPE 14904) SPERE Nov. 87, 543-548
Steamflood: simulation; examination of confined-pattern concept, (Tech. Paper SPE 13621) SPERE Nov. 87, 559-564
Thermal simulation: adaptive implicit methods applied to, (Tech. Paper SPE 14043) SPERE Nov. 87, 596-598

Thermogravimetric Analysis
Applied to crude oil combustion: catalytic effect of heavy metal oxides, (Tech. Paper SPE 14484) SPERE Nov. 87, 591-595

Tomography
Computerized: of X-rays: visualization of laboratory corefloods with the aid of, (Tech. Paper SPE 13654) SPERE May 87, 148-154

Turbidity
Measurement of: determination of polyacrylamide and other anionic polymers concentration: automated and manual methods, (Tech. Paper SPE 13589) SPERE May 87, 184-188

V

Vaporizing-Gas Drive
Compositional simulation of process: analysis and correlation of nitrogen and lean gas miscibility pressures; discussion of, (Tech. Paper, Discussion SPE 16463) SPERE May 87, 258-259

Velocity
Relative ganglion concept: and generalization to oil movements in porous media, (Tech. Paper SPE 14876) SPERE Nov. 87, 671-676

Viscosity
And phase behavior of petroleum sulfonate solutions in liquid crystalline region, (Tech. Paper SPE 12700) SPERE Nov. 87, 664-670
Of capillary fluids at microscopic level, (Tech. Paper SPE 14698) SPERE May 87, 155-165

W

Wasson Field
See Texas

Water
And oil/microemulsion phases: partitioning of nonionic and anionic surfactant mixtures between, (Tech. Paper SPE 13030) SPERE Aug. 87, 305-314

Hard: surfactant flooding with; case study solved by HLB gradient, (Tech. Paper SPE 14292) SPERE Nov. 87, 605-612
Wet rock: physics of oil entrapment, (Tech. Paper SPE 9406) SPERE Feb. 87, 113-128
Water Influx
Modeling of Svartsengi geothermal field, Iceland, (Tech. Paper SPE 13615) SPERE Feb. 87, 77-84
Waterflooding
Guidelines for converting steamflood to, (Tech. Paper SPE 13605) SPERE Feb. 87, 67-76
Welge's Method
Of shock front location: modification in Buckley-Leverett problem for nonzero initial condition; further discussion of, (Tech. Paper, Discussion SPE 16458) SPERE May 87, 260-261
Well Pattern
Five and nine spot: infill drilling in steamflood operations; Kern River field, (Tech. Paper SPE 14337) SPERE May 87, 243-248
Five-spot vs. inverted nine-spot: comparison of steamflood strategies, (Tech. Paper SPE 13620) SPERE Nov. 87, 549-558
Well Singularities
In reservoir simulation, (Tech. Paper SPE 14812) SPERE Nov. 87, 713-719
Well Spacing
Comparison of steamflood strategies: five-spot vs. inverted nine-spot pattern, (Tech. Paper SPE 13620) SPERE Nov. 87, 549-558
West Coyote Field
See California
West Virginia
Estimating reserves for high-rate Devonian shale oil and gas completions with limited, (Tech. Paper SPE 13369) SPERE Aug. 87, 394-400
Evaluation of Devonian shale gas reservoirs, (Tech. Paper SPE 14446) SPERE May 87, 209-216
Wilmington Field
See California
Wyoming
Proposed polymer flood: method for laboratory and field evaluation, (Tech. Paper SPE 13124) SPERE Nov. 87, 452-460

X

X-Rays
Computerized tomography of: visualization of laboratory corefloods with the aid of, (Tech. Paper SPE 13654) SPERE May 87, 148-154
Xanthan Gum
Polymer flow in porous media: experimental and theoretical study, (Tech. Paper SPE 14231) SPERE Aug. 87, 281-304
Sessile polymer-degrading bacteria: biocide evaluation against, (Tech. Paper SPE 13588) SPERE Nov. 87, 647-652